

Tana Tynes

From: Glenn Bailey
Sent: Tuesday, January 19, 2016 8:44 AM
To: Stephen Furman
Subject: RE: Bagdad Forsyth Street Sidewalk Repair/Replacement Proposals
Attachments: ForsythStreetSidewalks.pdf

Here is the attachment complete with the image.

From: Glenn Bailey
Sent: Tuesday, January 19, 2016 7:38 AM
To: Stephen Furman <StephenF@santarosa.fl.gov>
Cc: Sheila Fitzgerald <sheilaf@santarosa.fl.gov>; Erica Grancagnolo <EricaG@santarosa.fl.gov>
Subject: Bagdad Forsyth Street Sidewalk Repair/Replacement Proposals

Stephen,

I requested proposals from several vendors to replace damaged concrete sidewalks on the east side of Forsyth Street at the intersection of Forsyth and Main. I received two proposals and two no bids from two other vendors. (see attached) Florida Concrete Concepts is the low bidder, and they have done good work for us in the past on similar projects. The proposals are as follows:

Florida Concrete Concepts, Milton, Florida, \$ 7, 750.00 (Low Bid)
 in Coast Concrete Inc., Pace Florida, \$ 7,765.00
June's Concrete Co. LLC, No Bid
Bay Woods Concrete, No Bid

Please review and submit for approval.

Thank You.

GLENN F. BAILEY, P.E.
Assistant Public Works Director
Santa Rosa County
(850) 981-7127

Florida has a very broad Public Records Law. Virtually all written communications to or from Santa Rosa County Personnel are public records available to the public and media upon request. E-mail sent or received on the county system will be considered public and will only be withheld from disclosure if deemed confidential pursuant to State Law.



12/28/15

To: Perspective Bidder / CONCRETE CONCEPTS

From: Glenn Bailey, Assistant Public Works Director, Santa Rosa County (382-9152)

Subject: Request Price/Proposal to Construct Sidewalks on Forsyth Street in Bagdad Florida

The scope of work is to construct concrete sidewalks on Forsyth Street Bagdad, Florida. (See attached Map). Please submit proposals no later than January 15, 2016. Submit by e-mail or fax to Glenn Bailey (glennb@santarosa.fl.gov, or fax 850-623-1331) Work shall include the following:

- 1) Demolish and remove existing 5' wide sidewalk. Haul and dispose of all concrete rubble/debris.
- 2) Prepare site for sidewalk. Remove vegetation and excess soils or provide fill as needed.
- 3) Form, place and finish two (2) new concrete sidewalks as shown in attached site plan. Sidewalk on East side of Forsyth Street just North of Main shall be 4" thick, 5' wide and approximately 220 LF. Sidewalk on East side of Forsyth just South of Main shall be 4" thick, 5' wide and approximately 70LF.
- 4) Contractor shall coordinate line and grade of new sidewalks with SRC Public Works.
- 5) Sidewalks shall be a "Picture Frame" finish (smooth outer edge and light broom interior finish) to match recently installed Henry Street sidewalks.
- 6) Sidewalks shall meet ADA requirements. Sidewalks shall include (3) ramps and mats meeting ADA requirements.
- 7) Sidewalks shall have a minimum strength of 2500 pounds per square inch (PSI) and be reinforced with woven wire fabric.
- 8) Sidewalks shall be constructed with a maximum of ¼ inch in 12 inches side slope.
- 9) One-half (1/2) inch expansion joints shall be at thirty (30) foot intervals or less, with control joints at eight (8) foot intervals.
- 10) Clean and restore site. Dispose of all construction debris, trash and unused materials.

If you have any questions give me a call at 382-9152 or e-mail me at glennb@santarosa.fl.gov

Total Cost for Work Described Above: \$ 7750.00

Name: CONCRETE CONCEPTS Date: 1/15/16

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

GoSpatial v3 - Santa Rosa County, Florida



| LEGEND | |
|-------------------------------|--|
| High/Light Substructure | |
| High/Light Feature | |
| Structure | |
| ACCESSORY | |
| APPEARANCE/LOGO/TID | |
| DELETED | |
| CELL TOWER | |
| BAR/WATER | |
| BAR/BEAUTY SHOP | |
| BANDERY | |
| BAR/COFFEE/RESTAURANT | |
| CLUBS/LEO CLUB/HALLS | |
| COMBOD - APPEARANCE/LOGO/TID | |
| CANYON | |
| DOCTOR/PHYSICIAN OFFICE | |
| CAR SERVICE STATION | |
| LAUNDRIES | |
| MODULAR BUILDING (CMA) | |
| MULTI HOTEL/AIRPORT | |
| OFFICE/PROFESSIONAL BUILDINGS | |
| RESTAURANT | |
| RESTAURANT STATION | |
| RETAIL STORE/CUSTOMER SERVICE | |
| VEHICLE MAINTENANCE | |
| VETERINARY HOSPITAL | |
| WAREHOUSE/STORAGE | |
| FIRE STATION | |
| FORT OFFICE | |
| HOSPITAL | |
| REHABILITATION | |
| URGENT CARE | |
| LIBRARY | |
| UTILITY | |
| CHURCH | |
| LET STATION | |
| PUMP HOUSE | |
| STORAGE TANK | |
| WATER TOWER | |
| WIND TURBINE | |
| WATERBUSINESS | |
| ASSEMBLY BUILDING | |
| DOCK/DOCK/DOCK | |

Glenn Bailey

From: daytonmueller <daytonmueller@gmail.com>
nt: Friday, January 15, 2016 10:50 AM
To: Glenn Bailey; dayton mueller
Subject: Forsyth st. Sidewalks improvements

Will demo out and replace 290 LF of 5' sidewalk and install ADA handicap ramps with detectable warning mats for \$7750.00

Sent on the new Sprint Network



12/28/15

To: Perspective Bidder

From: Glenn Bailey, Assistant Public Works Director, Santa Rosa County (382-9152)

Subject: Request Price/Proposal to Construct Sidewalks on Forsyth Street in Bagdad Florida

The scope of work is to construct concrete sidewalks on Forsyth Street Bagdad, Florida. (See attached Map). Please submit proposals no later than January 15, 2016. Submit by e-mail or fax to Glenn Bailey (glennb@santarosa.fl.gov, or fax 850-623-1331) Work shall include the following:

- 1) Demolish and remove existing 5' wide sidewalk. Haul and dispose of all concrete rubble/debris.
- 2) Prepare site for sidewalk. Remove vegetation and excess soils or provide fill as needed.
- 3) Form, place and finish two (2) new concrete sidewalks as shown in attached site plan. Sidewalk on East side of Forsyth Street just North of Main shall be 4" thick, 5' wide and approximately 220 LF. Sidewalk on East side of Forsyth just South of Main shall be 4" thick, 5' wide and approximately 70LF.
- 4) Contractor shall coordinate line and grade of new sidewalks with SRC Public Works.
- 5) Sidewalks shall be a "Picture Frame" finish (smooth outer edge and light broom interior finish) to match recently installed Henry Street sidewalks.
- 6) Sidewalks shall meet ADA requirements. Sidewalks shall include (3) ramps and mats meeting ADA requirements.
- 7) Sidewalks shall have a minimum strength of 2500 pounds per square inch (PSI) and be reinforced with woven wire fabric.
- 8) Sidewalks shall be constructed with a maximum of ¼ inch in 12 inches side slope.
- 9) One-half (1/2) inch expansion joints shall be at thirty (30) foot intervals or less, with control joints at eight (8) foot intervals.
- 10) Clean and restore site. Dispose of all construction debris, trash and unused materials.

If you have any questions give me a call at 382-9152 or e-mail me at glennb@santarosa.fl.gov

Total Cost for Work Described Above:

\$7765.00

Name:

SUNCOAST CONL.

Date:

1/6/16

SUNCOAST CONCRETE INC.

3341 Pearl Ridge Rd.

Pace, FL 32571

Office (850) 994-4326

Fax (850) 994-3796

Estimate

| NAME / ADDRESS |
|--|
| Santa Rosa County Public Works Assistant Public Works Director: Glenn F Bailey |

| | |
|--------------------|----------|
| DATE | 1/6/2016 |
| ESTIMATE NO. | 1 |
| EXPIRATION DATE | 2/6/2016 |
| DATE OF PLANS | 12/28/15 |
| ARCHITECT/ENGINEER | Bailey |

| DESCRIPTION | TOTAL |
|--|------------------|
| JOB NAME & LOCATION Forsyth Street Bagdad SCOPE OF WORK FOR CONTRACT JOB Labor & Materials for EXTERIOR CONCRETE WORK Included But Not Limited To The Following: - Demo Existing Sidewalk (Haul Off Debris) - Remove Grass & Balance Site - Install 4" 2500 PSI Concrete Sidewalks With Wire Mesh (5' X 220 LFT) & (5' X 70 LFT) - Includes Picture Framing & ADA Matt's ***Exclusions Are As Follows*** - Concrete And Or Soil Testing B/O TOTAL BID PRICE Non-Taxable for Sales Tax | 7,765.00 0.00 |

PRICES MAY VARY DUE TO ACCESS AND/OR EXISTING SOIL CONDITIONS

CONTRACTOR RESPONSIBLE FOR SPOTTING OF ALL UTILITIES

TOTAL

\$7,765.00

*******ITEM'S NOT SPECIFIED ON PROPOSAL ARE NOT INCLUDED*******
*****CONTRACTOR'S RESPONSIBILITY TO READ AND UNDERSTAND COMPLETE SCOPE OF WORK INCLUDING EXCLUSIONS PRIOR TO ACCEPTANCE*****

All material is guaranteed to be as specified, and the above work to be performed in accordance with the drawings and specifications submitted for the above work and completed in a substantial workmanlike manner for the sum total of the Contract Bid Proposal amount specified above. Any alteration or deviation from the above specifications involving extra costs, will be executed only upon written orders, and will become an extra charge over and above the estimate. This proposal may be withdrawn by us if not accepted within 30 days or if Suncoast's work schedule does not permit. The above prices, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified.

| |
|--|
| |
|--|

| | |
|------------------|--|
| Accepted By/Date | |
|------------------|--|



12/28/15

To: Perspective Bidder / JUNE'S CONCRETE

From: Glenn Bailey, Assistant Public Works Director, Santa Rosa County (382-9152)

Subject: Request Price/Proposal to Construct Sidewalks on Forsyth Street in Bagdad Florida

The scope of work is to construct concrete sidewalks on Forsyth Street Bagdad, Florida. (See attached Map). Please submit proposals no later than January 15, 2016. Submit by e-mail or fax to Glenn Bailey (glennb@santarosa.fl.gov, or fax 850-623-1331) Work shall include the following:

- 1) Demolish and remove existing 5' wide sidewalk. Haul and dispose of all concrete rubble/debris.
- 2) Prepare site for sidewalk. Remove vegetation and excess soils or provide fill as needed.
- 3) Form, place and finish two (2) new concrete sidewalks as shown in attached site plan. Sidewalk on East side of Forsyth Street just North of Main shall be 4" thick, 5' wide and approximately 220 LF. Sidewalk on East side of Forsyth just South of Main shall be 4" thick, 5' wide and approximately 70LF.
- 4) Contractor shall coordinate line and grade of new sidewalks with SRC Public Works.
- 5) Sidewalks shall be a "Picture Frame" finish (smooth outer edge and light broom interior finish) to match recently installed Henry Street sidewalks.
- 6) Sidewalks shall meet ADA requirements. Sidewalks shall include (3) ramps and mats meeting ADA requirements.
- 7) Sidewalks shall have a minimum strength of 2500 pounds per square inch (PSI) and be reinforced with woven wire fabric.
- 8) Sidewalks shall be constructed with a maximum of ¼ inch in 12 inches side slope.
- 9) One-half (1/2) inch expansion joints shall be at thirty (30) foot intervals or less, with control joints at eight (8) foot intervals.
- 10) Clean and restore site. Dispose of all construction debris, trash and unused materials.

If you have any questions give me a call at 382-9152 or e-mail me at glennb@santarosa.fl.gov

Total Cost for Work Described Above: NO BID

Name: JUNE'S CONCRETE Date: 1/15/16

Glenn Bailey

From: junes.concrete@yahoo.com
at: Friday, January 15, 2016 6:45 PM
To: Glenn Bailey
Subject: Re: Request Price/Proposal to Construct Sidewalks on Forsyth Street, Bagdad, Florida

Hi Mr. Bailey

This is Karen from June's Concrete Co. LLC. I replied to this matter a few months back. We are sorry but we have to turn down this offer due to the busy schedule that my dad have. He is busy for the rest of the month and next. Again we are very sorry to turn down this project.

Thank You
Karen

On Jan 15, 2016, at 1:22 PM, Glenn Bailey <GlennB@santarosa.fl.gov> wrote:

June,

I sent a request for a quote on 12/28. Are you guys interested in providing a quote? Please let me know either way.

Thank you,

GLENN F. BAILEY, P.E.
Assistant Public Works Director
Santa Rosa County
(850) 981-7127

From: Glenn Bailey
Sent: Monday, December 28, 2015 8:57 AM
To: 'June's Concrete' <junes.concrete@yahoo.com>
Subject: RE: Request Price/Proposal to Construct Sidewalks on Forsyth Street, Bagdad, Florida

Ms. Cayao,

Please see the attached request for pricing. Please let us know if you are interested.

Thank you.

GLENN F. BAILEY, P.E.
Assistant Public Works Director



BAY WOODS CONCRETE

12/28/15

To: Perspective Bidder

From: Glenn Bailey, Assistant Public Works Director, Santa Rosa County (382-9152)

Subject: Request Price/Proposal to Construct Sidewalks on Forsyth Street in Bagdad Florida

The scope of work is to construct concrete sidewalks on Forsyth Street Bagdad, Florida. (See attached Map). Please submit proposals no later than January 15, 2016. Submit by e-mail or fax to Glenn Bailey (glennb@santarosa.fl.gov, or fax 850-623-1331) Work shall include the following:

- 1) Demolish and remove existing 5' wide sidewalk. Haul and dispose of all concrete rubble/debris.
- 2) Prepare site for sidewalk. Remove vegetation and excess soils or provide fill as needed.
- 3) Form, place and finish two (2) new concrete sidewalks as shown in attached site plan. Sidewalk on East side of Forsyth Street just North of Main shall be 4" thick, 5' wide and approximately 220 LF. Sidewalk on East side of Forsyth just South of Main shall be 4" thick, 5' wide and approximately 70LF.
- 4) Contractor shall coordinate line and grade of new sidewalks with SRC Public Works.
- 5) Sidewalks shall be a "Picture Frame" finish (smooth outer edge and light broom interior finish) to match recently installed Henry Street sidewalks.
- 6) Sidewalks shall meet ADA requirements. Sidewalks shall include (3) ramps and mats meeting ADA requirements.
- 7) Sidewalks shall have a minimum strength of 2500 pounds per square inch (PSI) and be reinforced with woven wire fabric.
- 8) Sidewalks shall be constructed with a maximum of ¼ inch in 12 inches side slope.
- 9) One-half (1/2) inch expansion joints shall be at thirty (30) foot intervals or less, with control joints at eight (8) foot intervals.
- 10) Clean and restore site. Dispose of all construction debris, trash and unused materials.

If you have any questions give me a call at 382-9152 or e-mail me at glennb@santarosa.fl.gov

Total Cost for Work Described Above: NO BID

Name: BAY WOODS CONC Date: 1/15/16