

## **NOTICE TO BIDDERS CHAIN LINK FENCING**

Notice is hereby given that the Board of County Commissioners of Santa Rosa County, Florida, will receive sealed bids for chain link fencing repairs and replacement resulting from Hurricane Ivan damages.

A pre-bid conference will be held January 12, 2004 at 9:00 a.m. in the County Commission Meeting Room of the Administrative Center located at 6495 Caroline Street, Milton, Florida. Attendance is **strongly** recommended.

All bids must be original and delivered by hand, Fed Ex, or mail to the Santa Rosa County Procurement Department, 6495 Caroline Street, Suite G, Milton, Florida, 32570; and must be received by 10:00 a.m., January 25, 2005, at which time bids will be opened and read aloud. Bids shall include a list of 5 references of comparable size. Bids received after the time set for the bid opening will be rejected and returned unopened to the bidder. All interested parties are invited to attend. Each park facility will be treated as a separate activity and awarded individually.

Specifications and bid form may be secured from Santa Rosa County Website ([www.co.santa-rosa.fl.us](http://www.co.santa-rosa.fl.us)) or at the Santa Rosa County Procurement Department at the above address. Telephone (850) 983-1833.

Questions concerning this bid should be directed to Avis Whitfield at (850) 626-0191.

The Board of County Commissioners reserves the right to waive irregularities in bids, to reject any or all bids with or without cause, and to award the bid that it determines to be in the best interest of Santa Rosa County.

Santa Rosa County does not discriminate on the basis of race, color, national origin, sex, religion, age, or handicapped status in employment or provision of service.

By order of the Board of County Commissioners of Santa Rosa County, Florida.

### **LEGAL NOTICE**

One issue – December 25, 2004 - Press Gazette, December 30, 2004 -Navarre Press

Bill and proof to Santa Rosa County Procurement Department, 6495 Caroline Street, Suite G, Milton, Florida, 32570, Attn.: Orrin L. Smith.

December 25, 2004

**MEMORANDUM**

TO: Company Addressed

FROM: Santa Rosa County Procurement Department

SUBJECT: Chain Link Fencing

Notice is hereby given that the Board of County Commissioners of Santa Rosa County, Florida, will receive sealed bids for chain link fencing repairs and replacement resulting from Hurricane Ivan damages.

A pre-bid conference will be held January 12, 2004 at 9:00 a.m. in the County Commission Meeting Room of the Administrative Center located at 6495 Caroline Street, Milton, Florida. Attendance is **strongly** recommended.

All bids must be original and delivered by hand, Fed Ex, or mail to the Santa Rosa County Procurement Department, 6495 Caroline Street, Suite G, Milton, Florida, 32570; and must be received by 10:00 a.m., January 25, 2005, at which time bids will be opened and read aloud. Bids shall include a list of 5 references of comparable size. Bids received after the time set for the bid opening will be rejected and returned unopened to the bidder. All interested parties are invited to attend. Each park facility will be treated as a separate activity and awarded individually.

Specifications and bid form may be secured from Santa Rosa County Website ([www.co.santa-rosa.fl.us](http://www.co.santa-rosa.fl.us)) or at the Santa Rosa County Procurement Department at the above address. Telephone (850) 983-1833.

Questions concerning this bid should be directed to Avis Whitfield at (850) 626-0191.

The Board of County Commissioners reserves the right to waive irregularities in bids, to reject any or all bids with or without cause, and to award the bid that it determines to be in the best interest of Santa Rosa County.

Santa Rosa County does not discriminate on the basis of race, color, national origin, sex, religion, age, or handicapped status in employment or provision of service.

## FENCING SPECIFICATIONS

### GENERAL SPECIFICATIONS:

All fencing is to be of industrial/commercial quality per following specifications. All fencing will be inspected before posts are set in concrete to determine depth and diameter of setting and a final inspection will be made prior to final payment. No payment will be made until all specifications are complied with. The successful bidder is to request the inspection a minimum of 48 hours in advance. If the contractor fails to request and receive an inspection as specified, no payment will be made until the inspection is made and if inspection has not been done prior to the setting of posts, all posts are to be removed and reset with proper inspection.

All fencing is to be K&K and follow the ground contour in such a manner that a standard baseball can not roll under the fence at any point, except where fence goes along asphalted area, install the fence on the asphalt with a 6" clearance from the fabric to the edge of asphalt. This specification may be waived if approved by the Public Works Department.

Chain link fabric to be 9 GA. 2" mesh, 2 oz. G.A.W (Galvanized After Weaving). A manufactures certificate to this fact must be presented before payment.

All gate latches to be of the commercial saddle types. At the Public Works Director's option, a chain and lock with the lock shackle welded to the chain and the chain attached to one side of the fence is to be provided. The lock shall be a Master Brand # 5 (No Substitutes). Locks shall be keyed alike if more than one lock is to be provided per job. All gates to be of commercial quality, welded joint, 1-5/8" O.D. and same fabric as fence, bolted in type.

Post Location - Space line posts equidistant at intervals not exceeding 10 ft (3.05m) in straight line runs. Measure the interval parallel to the grade of the proposed fence and in the line of fence from center to center of the post. Set terminal posts (end, corner, and gate) at the beginning and end of each straight continuous length of fence and at abrupt changes in horizontal alignments.

Bidder shall agree to have all materials and start work within 30 days after being notified by the Public Works Department for each project that has been approved.

The Board of County Commissioners reserves the right to use this bid to set pricing for future fencing needs, however will retain the option to bid out large jobs.

All fencing shall be hung on the exterior of the enclosure.

All contractors shall have the required insurance for working in Santa Rosa County, and on the County right-of-ways.

## FENCING SPECIFICATIONS

|                                   |   |
|-----------------------------------|---|
| FABRIC:                           | K & K, 2" x 9 gauge, 2 oz. G.A.W.                       |
| TOP RAIL:                         | 1-5/8" O.D. SS20  |
| LINEPOST:                         | 2" O.D. SS20  |
| TERMPOST:                         | 3" O.D. SS20  |
| GATEPOST:                         | 3" O.D. SS20  |
| DRIVE GATEPOST:                   | 4" O.D. SS20  |
| GATEFRAME:                        | 1-5/8" O.D. with center brace SS20                      |
| DRIVE GATEFRAME:                  | 2" O.D. SS20  |
| TIES:                             | 9 gauge aluminum  |
| TENSION WIRE:                     | 7 gauge spring steel                                    |
| ALL CAPS AND HARDWARE:            | Galvanized steel  |
| POST SETTING:                     | 10' on center and full depth in concrete of 2500 lb psi |
| CORNER BRACING AND TIES:          | 18" on center   |
| POST DEPTH/<br>CONCRETE DIAMETER: | Line posts 6"x36"; corners 8"x36"; gates 12"x36"        |

### **East Milton Recreational Park**

1. Basketball court – Replace - 120 linear feet of 8’ high chain link (3 rails) with center, horizontal, top, and bottom rails.
  
2. Soccer field:
  - A. Replace - 220 linear feet of 6’ high chain link fence
  - B. Replace - 1,100 linear feet of 6’ high chain link fence.
  
3. Tennis court:
  - A. Replace - 190 linear feet of 10’ high chain link fence
  - B. Replace - 160 linear feet of 10’ high chain link fence
  - C. Replace - 20 linear feet of 10’ high chain link wire mesh
  - D. Replace - 80 linear feet of 10’ high chain link top rail.
  
4. Ball Field #2:
  - A. Replace - 40 linear feet of 15’ high chain link backstop
  - B. Replace - 50 linear feet of 10’ high chain link fence
  - C. Replace - 40 linear feet of 6’ high chain link fence
  - D. Replace - 30 linear feet of 8’ high chain link wire mesh (dugout).
  
5. Ball Field #3:
  - A. Replace - 70 linear feet of 6’ high chain link fence
  - B. Replace - 40 linear feet of 6’ high chain link wire mesh.
  
6. Ball Field #4:
  - A. Replace - 70 linear feet of 6’ high chain link fence
  - B. Replace - 60 linear feet of 8’ high chain link wire mesh
  - C. Replace - 60 linear feet of 10’ high chain link wire mesh
  - D. Replace - 80 linear feet of 20’ high chain link backstop
  - E. Replace - 40 linear feet of 4’ overhang.
  
7. Ball Field #5:
  - A. Replace - 50 linear feet of 6’ high chain link fence
  - B. Replace - 130 linear feet of 6’ high chain link fence
  - C. Replace - 30 linear feet of 8’ high chain link fence in dugout
  - D. Replace - 20 linear feet of 10’ high chain link fence in dugout
  - E. Replace - 60 linear feet of 20’ high chain link backstop.
  
8. Ball Field #6:
  - A. Replace - 20 linear feet of 6’ high chain link fence
  - B. Replace - 60 linear feet of 8’ high chain link fence in dugout
  - C. Replace - 40 linear feet of 10’ high chain link fence in dugout
  - D. Replace - 140 linear feet of 20’ high chain link backstop with 4’ overhang.
  
9. Ball Field #7:
  - A. Replace - 80 linear feet of 6’ high chain link fence
  - B. Replace - 40 linear feet of 6’ high chain link fence
  - C. Replace - 30 linear feet of 8’ high chain link fence in dugout
  - D. Replace - 20 linear feet of 10’ high chain link fence in dugout

- E. Replace - 20 linear feet of 10' high chain link wire mesh
  - F. Replace - 140 linear feet of 20' high chain link backstop
  - G. Replace - 40 linear feet of 4' overhang.
10. Ball Field #8:
- A. Replace - 210 linear feet of 6' high chain link fence
  - B. Replace - 2 - 6' high x 5' wide chain link gates
  - C. Replace - 60 linear feet of 6' high chain link fence
  - D. Replace - 30 linear feet of 8' high chain link fence in dugout
  - E. Replace - 20 linear feet of 10' high chain link fence in dugout
  - F. Replace - 140 linear feet of 20' chain link backstop
  - G. Replace - 40 linear feet of 4' overhang.
11. Ball Field #9:
- A. Replace - 30 linear feet of 8' high chain link wire mesh
  - B. Replace - 20 linear feet of 10' high chain link wire mesh
  - C. Replace - 140 linear feet of 20' high chain link backstop.
12. Ball Field #10:
- A. Replace - 340 linear feet of 6' high chain link fence
  - B. Replace - 20 linear feet of 10' high chain link wire mesh
  - C. Replace - 140 linear feet of 20' high chain link backstop
  - D. Replace - 40 linear feet of 4' overhang
  - E. Replace - 1 dugout (8' x 20') - 30 linear feet of 8' high chain link fence and 20 linear feet of 10' high chain link fence.
13. Ball Field #11:
- A. Replace - 70 linear feet of 6' high chain link fence
  - B. Replace - 40 linear feet of 6' high chain link wire mesh
  - C. Replace - 140 linear feet of 20' high chain link backstop
  - D. Replace - 30 linear feet of 8' high chain link fence in dugout
  - E. Replace - 20 linear feet of 10' high chain link fence in dugout
  - F. Replace - 30 linear feet of 8' high chain link wire mesh in dugout
  - G. Replace - 20 linear feet of 10' high chain link wire mesh in dugout.

**BID FORM**  
**Chain Link Fencing**  
**East Milton Recreational Park**

Santa Rosa County Procurement Department  
 6495 Caroline Street, Suite G  
 Milton, Florida 32570

Date \_\_\_\_\_

The undersigned agrees to furnish the equipment and labor as requested by you for Santa Rosa County in your invitation to bid and certifies that the materials bid meets or exceeds the specifications called for, except as set out in "Exceptions to Bid Conditions" and attached to this form.

| Material              | Quantity | *Price per foot utilizing Schedule 20 post - | *Price per foot utilizing Schedule 40 post - |
|-----------------------|----------|--|--|
| 48" Backstop overhang | 160'     |  |  |
| 72"                   | 2580'    |  |  |
| 96"                   | 480'     |  |  |
| 120"                  | 780'     |  |  |
| 180"                  | 40'      |  |  |
| 20' Backstop          | 980'     |  |  |
| 6' x 5' gate          | 2        |  |  |
| <b>TOTAL BID</b>      |          | \$   | \$   |

**\*Price to include equipment and labor for demolition and reinstall utilizing new material.**

**WARRANTY:** One year on workmanship and twelve (12) years on materials.

\_\_\_\_\_  
 Company Representative Signature

\_\_\_\_\_  
 Telephone

**NOTE:** PLEASE RETURN THIS BID FORM TO THE ABOVE ADDRESS.  
 NO OTHER BID FORM WILL BE ACCEPTED.

**COMMENTS:** \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

## **Chumuckla Community Center and Ball Park**

1. Ball Field #1 - Replace - 140 linear feet of 20' chain link backstop.
  
2. Ball Field #3:
  - A. Replace - 130 linear feet of 20' chain link
  - B. Replace - 60 linear feet of 10' chain link fence
  - C. Dugout:
    - I. Replace - 70 linear feet of 6' chain link fence
    - II. Replace - 80 linear feet of 6' wire
    - III. Replace - 60 linear feet of 6' chain link fence.
  
3. Ball Field #4:
  - A. Replace - 180 linear feet of 4' chain link fence
  - B. Replace - 30 linear feet of 4' chain link fence
  - C. Dugout:
    - I. Replace 40 linear feet of 4' chain link fence at top of block wall
    - II. Replace - 20 linear feet of 10' chain link fence
  - D. Replace 24 linear feet of 8' chain link fence.
  
4. Batting cage (20' x 100') – Replace 60 linear feet of 6' chain link fence.
  
5. Tennis court – Replace 20 linear feet of 10' chain link fence.

**BID FORM**  
**Chain Link Fencing**  
**Chumuckla Community Center and Ball Park**

Santa Rosa County Procurement Department  
 6495 Caroline Street, Suite G  
 Milton, Florida 32570

Date \_\_\_\_\_

The undersigned agrees to furnish the equipment and labor as requested by you for Santa Rosa County in your invitation to bid and certifies that the materials bid meets or exceeds the specifications called for, except as set out in "Exceptions to Bid Conditions" and attached to this form.

| Material              | Quantity | *Price per foot<br>Schedule 20<br>post | *Price per foot<br>Schedule 40<br>post |
|-----------------------|----------|--|--|
| 48" Backstop overhang | 250'     |  |  |
| 72"                   | 270'     |  |  |
| 96"                   | 24'      |  |  |
| 120"                  | 100'     |  |  |
| 20' Backstop          | 270'     |  |  |
| <b>TOTAL BID</b>      |          | \$                                     | \$                                     |

**\*Price to include equipment and labor for demolition and reinstall utilizing new material.**

**WARRANTY:** One year on workmanship and twelve (12) years on materials.

\_\_\_\_\_  
 Company Representative Signature

\_\_\_\_\_  
 Telephone

**NOTE:** PLEASE RETURN THIS BID FORM TO THE ABOVE ADDRESS.  
 NO OTHER BID FORM WILL BE ACCEPTED.

**COMMENTS:** \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

### **Fidelis Community Center and Ball Park**

1. Perimeter:
  - A. Replace - 150 linear feet of 6' chain link fence
  - B. Replace - 70 linear feet of 6' chain link fence wire.
2. Ball Field #1 – Replace - 20 linear feet of 10' chain link fence wire.
3. Ball Field #2:
  - A. Replace - 80 linear feet of 6' chain link fence
  - B. Replace - 60 linear feet of 20' chain link backstop
  - C. Replace - 40 linear feet of 4' overhang.
4. Ball Field #3 – Replace - 20 linear feet of 6' chain link fence.
5. Tennis court – Replace - 360 linear feet of 10' chain link fence.

**BID FORM**  
**Chain Link Fencing**  
**Fidelis Community Center and Ball Park**

Santa Rosa County Procurement Department  
 6495 Caroline Street, Suite G  
 Milton, Florida 32570

Date \_\_\_\_\_

The undersigned agrees to furnish the equipment and labor as requested by you for Santa Rosa County in your invitation to bid and certifies that the materials bid meets or exceeds the specifications called for, except as set out in "Exceptions to Bid Conditions" and attached to this form.

| Material                 | Quantity | *Price per foot<br>Schedule 20<br>post | *Price per<br>foot Schedule<br>40 post |
|--------------------------|----------|--|--|
| 48" Backstop<br>overhang | 40'      |  |  |
| 72"                      | 320'     |  |  |
| 120"                     | 380'     |  |  |
| 20' Backstop             | 60'      |  |  |
| <b>TOTAL BID</b>         |          | \$                                     | \$                                     |

**\*Price to include equipment and labor for demolition and reinstall utilizing new material.**

**WARRANTY:** One year on workmanship and twelve (12) years on materials.

\_\_\_\_\_  
 Company Representative Signature

\_\_\_\_\_  
 Telephone

**NOTE:** PLEASE RETURN THIS BID FORM TO THE ABOVE ADDRESS.  
 NO OTHER BID FORM WILL BE ACCEPTED.

**COMMENTS:** \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

### **Locklin Field**

1. Replace - 150 linear feet (50, 40, 40, 20 linear feet sections) of 6' chain link fence.
2. Replace - 70 linear feet (30, 40 linear feet sections) of 6' chain link fence.
3. Replace - 20 linear feet of 10' chain link fence.
4. Replace - 10 linear feet of 10' chain link fence.
5. Replace - 30 linear feet of 8' chain link fence.
6. Replace - 30 linear feet of 20' chain link backstop.
7. Replace - 180 linear feet (40, 140 linear feet sections) of 6' chain link fence.

**BID FORM**  
**Chain Link Fencing**  
**Locklin Field**

Santa Rosa County Procurement Department  
 6495 Caroline Street, Suite G  
 Milton, Florida 32570

Date \_\_\_\_\_

The undersigned agrees to furnish the equipment and labor as requested by you for Santa Rosa County in your invitation to bid and certifies that the materials bid meets or exceeds the specifications called for, except as set out in "Exceptions to Bid Conditions" and attached to this form.

| Material         | Quantity | *Price per foot<br>Schedule 20<br>post | *Price per<br>foot Schedule<br>40 post |
|------------------|----------|--|--|
| 72"              | 400      |  |  |
| 96"              | 30       |  |  |
| 120"             | 30       |  |  |
| 20' Backstop     | 30       |  |  |
| <b>TOTAL BID</b> |          | \$                                     | \$                                     |

**\*Price to include equipment and labor for demolition and reinstall utilizing new material.**

**WARRANTY:** One year on workmanship and twelve (12) years on materials.

\_\_\_\_\_  
 Company Representative Signature

\_\_\_\_\_  
 Telephone

**NOTE:** PLEASE RETURN THIS BID FORM TO THE ABOVE ADDRESS.  
 NO OTHER BID FORM WILL BE ACCEPTED.

**COMMENTS:** \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

## Navarre Sports Complex

1. Batting cage area – Replace - 170 linear feet of 12’ high chain link fence.
2. Perimeter:
  - A. Replace - 130 linear feet of 6’ chain link fence
  - B. Replace - 400 linear feet of 6’ chain link fence
  - C. Replace 130 linear feet of 4’ chain link fence.
3. Ball Field #1:
  - A. Replace - 28 linear feet of 8’ chain link fence
  - B. Replace - 40 linear feet of 10’ chain link fence
  - C. Replace - 20 linear feet of 15’ chain link fence.
4. Ball Field #2:
  - A. Replace - 20 linear feet of 10’ chain link fence
  - B. Replace - 10 linear feet of 15’ chain link fence.
5. Ball Field #3:
  - A. Replace - 30 linear feet of 10’ chain link fence
  - B. Replace - 20 linear feet of 8’ chain link fence
  - C. Replace - 20 linear feet of 10’ chain link fence.
6. Ball Field #4:
  - A. Replace - 120 linear feet of 6’ chain link fence
  - B. Backstop
    - I. Replace - 140 linear feet of 20’ chain link fence with 4’ overhang
    - II. Replace - 40 linear feet of 4’ overhang.
7. Ball Field #5:
  - A. Replace - 30 linear feet of 6’ chain link fence
  - B. Replace - 20 linear feet of 10’ chain link fence
  - C. Backstop
    - I. Replace 140 linear feet of 20’ chain link fence w 4’ overhang
    - II. Replace 40 linear feet of 4’ overhang.
8. Ball Field #6:
  - A. Replace - 150 linear feet of 6’ chain link fence
  - B. Replace - 40 linear feet of 10’ chain link fence
  - C. Backstop
    - I. Replace - 140 linear feet of 20’ chain link fence
    - II. Replace - 40 linear feet of 4’ overhang.

9. Ball Field #7:
  - A. Replace - 430 linear feet of 6' chain link fence
  - B. Replace - 30 linear feet of 6' chain link fence
  - C. Replace - 40 linear feet of 10' chain link fence
  - D. Backstop
    - I. Replace - 140 linear feet of 20' chain link fence
    - II. Replace - 40 linear feet of 4' chain link fence overhang.
  
10. Ball Field #8:
  - A. Replace - 60 linear feet of 6' chain link fence
  - B. Replace - 280 linear feet of 6' chain link fence
  - C. Replace - 20 linear feet of 8' chain link fence
  - D. Backstop
    - I. Replace - 140 linear feet of 20' chain link fence
    - II. Replace - 40 linear feet of 4' chain link fence overhang.
  
11. Ball Field #9:
  - A. Replace - 30 linear feet of 6' chain link fence
  - B. Replace - 240 linear feet of 6' chain link fence
  - C. Replace - 20 linear feet of 8' chain link fence
  - D. Backstop
    - I. Replace - 140 linear feet of 20' chain link fence
    - II. Replace - 40 linear feet of 4' chain link fence overhang.
  
12. Ball Field #10:
  - A. Replace - 310 linear feet of 6' chain link fence
  - B. Replace - 170 linear feet of 8' chain link fence
  - C. Backstop
    - I. Replace - 140 linear feet of 20' chain link fence
    - II. Replace - 40 linear feet of 4' chain link fence overhang.
  
13. Ball Field #11:
  - A. Replace - 30 linear feet of 6' chain link fence
  - B. Replace - 130 linear feet of 8' chain link fence
  - C. Replace - 180 linear feet of 6' chain link fence
  - D. Backstop
    - I. Replace - 140 linear feet of 20' chain link fence
    - II. Replace - 40 linear feet of 4' chain link fence overhang.
  
14. Basketball court:
  - A. Replace - 30 linear feet of 10' chain link fence
  - B. Replace - 100 linear feet of 10' chain link fence.

15. Football field:
- A. Replace - 50 linear feet of 6' chain link fence
  - B. Replace - 90 linear feet of 6' chain link fence
  - C. Replace - 330 linear feet of 6' chain link fence.

**BID FORM**  
**Chain Link Fencing**  
**Navarre Sports Complex**

Santa Rosa County Procurement Department  
 6495 Caroline Street, Suite G  
 Milton, Florida 32570

Date \_\_\_\_\_

The undersigned agrees to furnish the equipment and labor as requested by you for Santa Rosa County in your invitation to bid and certifies that the materials bid meets or exceeds the specifications called for, except as set out in "Exceptions to Bid Conditions" and attached to this form.

| Material                 | Quantity | *Price per foot<br>Schedule 20<br>post | *Price per foot<br>Schedule 40<br>post |
|--------------------------|----------|--|--|
| 48" Backstop<br>overhang | 450'     |  |  |
| 72"                      | 2890'    |  |  |
| 96"                      | 388'     |  |  |
| 120"                     | 340'     |  |  |
| 144"                     | 170'     |  |  |
| 180"                     | 30'      |  |  |
| 20' Backstop             | 1120'    |  |  |
| <b>TOTAL BID</b>         |          | \$                                     | \$                                     |

**\*Price to include equipment and labor for demolition and reinstall utilizing new material.**

**WARRANTY:** One year on workmanship and twelve (12) years on materials.

\_\_\_\_\_  
 Company Representative Signature

\_\_\_\_\_  
 Telephone

**NOTE:** PLEASE RETURN THIS BID FORM TO THE ABOVE ADDRESS.  
 NO OTHER BID FORM WILL BE ACCEPTED.

**COMMENTS:** \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

### **Optimist Park**

1. Perimeter – Replace - 90 linear feet (30, 20, 20, 10, 10 linear feet sections) of 6' high chain link fence.
2. Ball Field #1 – Replace - 80 linear feet of 16' high backstop.
3. Ball Field #2 – Replace - 80 linear feet of 16' high backstop.

**BID FORM  
Chain Link Fencing  
Optimist Park**

Santa Rosa County Procurement Department  
6495 Caroline Street, Suite G  
Milton, Florida 32570

Date \_\_\_\_\_

The undersigned agrees to furnish the equipment and labor as requested by you for Santa Rosa County in your invitation to bid and certifies that the materials bid meets or exceeds the specifications called for, except as set out in "Exceptions to Bid Conditions" and attached to this form.

| Material         | Quantity | *Price per foot<br>Schedule 20<br>post | *Price per<br>foot Schedule<br>40 post |
|------------------|----------|--|--|
| 72"              | 90       |  |  |
| 192" backstop    | 160      |  |  |
| <b>TOTAL BID</b> |          | \$                                     | \$                                     |

**\*Price to include equipment and labor for demolition and reinstall utilizing new material.**

**WARRANTY:** One year on workmanship and twelve (12) years on materials.

\_\_\_\_\_  
Company Representative Signature

\_\_\_\_\_  
Telephone

**NOTE:** PLEASE RETURN THIS BID FORM TO THE ABOVE ADDRESS.  
NO OTHER BID FORM WILL BE ACCEPTED.

**COMMENTS:** \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

## Santa Rosa Sports Plex

1. Ball Field #1:
  - A. Replace - 60 linear feet of 6' chain link
  - B. Replace - 10 linear feet of 8' chain link
  - C. Replace - 50 linear feet of 10' chain link
  - D. Replace - 100 linear feet of 20' chain link
  - E. Option – Install 40 linear feet of 4' overhang.
  
2. Ball Field #2:
  - A. Replace - 20 linear feet of 6' chain link
  - B. Replace - 10 linear feet of 6' chain link
  - C. Replace - 10 linear feet of 8' chain link
  - D. Replace - 40 linear feet of 10' chain link
  - E. Replace - 100 linear feet of 20' chain link
  - F. Option – Install 40 linear feet of 4' overhang.
  
3. Ball Field #3:
  - A. Replace - 20 linear feet of 6' chain link
  - B. Replace - 60 linear feet of 6' chain link
  - C. Replace - 40 linear feet of 10' chain link
  - D. Replace - 100 linear feet of 20' chain link
  - E. Option – Install 40 linear feet of 4' overhang.
  
4. Ball Field #4:
  - A. Replace - 45 linear feet of 6' chain link
  - B. Replace - 30 linear feet of 6 chain link
  - C. Replace - 50 linear feet of 10' chain link
  - D. Replace - 100 linear feet of 20' chain link (backstop)
  - E. Replace - 40 linear feet of 4' chain link as backstop overhang.
  
5. Ball Field #5:
  - A. Replace - 150 linear feet of 6' chain link
  - B. Replace - 20 linear feet of 6' chain link
  - C. Replace - 100 linear feet of 20' chain link (backstop)
  - D. Replace - 40 linear feet of 4' chain link as backstop overhang.
  
6. Ball Field #6:
  - A. Replace - 50 linear feet of 6' chain link
  - B. Replace - 100 linear feet of 20' chain link (backstop)
  - C. Replace - 40 linear feet of 4' chain link as backstop overhang.

7. Ball Field #7:
  - A. Replace - 20 linear feet of 6' chain link
  - B. Replace - 90 linear feet of 6' chain link
  - C. Replace - 50 linear feet of 8' chain link
  - D. Replace - 100 linear feet of 20' chain link (backstop)
  - E. Replace - 40 linear feet of 4' chain link as backstop overhang.
  
8. Ball Field #8:
  - A. Replace - 180 linear feet of 6' chain link
  - B. Replace - 50 linear feet of 10' chain link
  - C. Replace - 100 linear feet of 20' chain link (backstop)
  - D. Replace - 40 linear feet of 4' chain link as backstop overhang.
  
9. Ball Field #9:
  - A. Replace - 210 linear feet of 6' chain link
  - B. Replace - 20 linear feet of 6' chain link
  - C. Replace - 40 linear feet of 10' chain link
  - D. Replace - 100 linear feet of 20' chain link
  - E. Option – Install 40 linear feet of 4' overhang.
  
10. Ball Field #10:
  - A. Replace - 60 linear feet of 6' chain link
  - B. Replace - 40 linear feet of 6' chain link
  - C. Replace - 40 linear feet of 10' chain link
  - D. Replace - 100 linear feet of 20' chain link
  - E. Option – Install 40 linear feet of 4' overhang.
  
11. Ball Field #11:
  - a. Replace - 230 linear feet of 6' chain link
  - b. Replace - 40 linear feet of 10' chain link
  - c. Replace - 100 linear feet of 20' chain link
  - d. Option – Install 40 linear feet of 4' overhang.
  
12. Ball Field #12:
  - A. Replace - 100 linear feet of 6' chain link
  - B. Replace - 80 linear feet of 6' chain link
  - C. Replace - 40 linear feet of 10' chain link
  - D. Replace - 100 linear feet of 20' chain link
  - E. Option – Install 40 linear feet of 4' overhang.

13. Ball Field #13:
  - A. Replace - 60 linear feet of 6' chain link
  - B. Replace - 70 linear feet of 6' chain link
  - C. Replace - 40 linear feet of 10' chain link
  - D. Replace - 100 linear feet of 20' chain link
  - E. Option – Install 40 linear feet of 4' overhang.
  
14. Ball Field #14:
  - A. Replace - 40 linear feet of 10' chain link
  - B. Replace - 100 linear feet of 20' chain link
  - C. Option – Install 40 linear feet of 4' overhang.
  
15. Ball Field #15:
  - A. Replace - 40 linear feet of 6' chain link
  - B. Replace - 40 linear feet of 10' chain link
  - C. Replace - 100 linear feet of 20' chain link
  - D. Option – Install 40 linear feet of 4' overhang.
  
16. Ball Field #16:
  - A. Replace - 60 linear feet of 6' chain link
  - B. Replace - 70 linear feet of 6' chain link
  - C. Replace - 40 linear feet of 10' chain link
  - D. Replace - 100 linear feet of 20' chain link
  - E. Option – Install 40 linear feet of 4' overhang.

**BID FORM**  
**Chain Link Fencing**  
**Santa Rosa Sports Plex**

Santa Rosa County Procurement Department  
 6495 Caroline Street, Suite G  
 Milton, Florida 32570

Date \_\_\_\_\_

The undersigned agrees to furnish the equipment and labor as requested by you for Santa Rosa County in your invitation to bid and certifies that the materials bid meets or exceeds the specifications called for, except as set out in "Exceptions to Bid Conditions" and attached to this form.

| Material                      | Quantity | *Price per foot<br>Schedule 20<br>post | *Price per<br>foot Schedule<br>40 post |
|-------------------------------|----------|--|--|
| 48" Backstop<br>overhang      | 200'     |  |  |
| 72"                           | 1795'    |  |  |
| 96"                           | 70'      |  |  |
| 120"                          | 550'     |  |  |
| 20' Backstop                  | 1600'    |  |  |
| Option<br>Install 4' overhang | 440'     |  |  |
| <b>TOTAL BID</b>              |          | \$                                     | \$                                     |

**\*Price to include equipment and labor for demolition and reinstall utilizing new material.**

**WARRANTY:** One year on workmanship and twelve (12) years on materials.

\_\_\_\_\_  
 Company Representative Signature

\_\_\_\_\_  
 Telephone

**NOTE:** PLEASE RETURN THIS BID FORM TO THE ABOVE ADDRESS.  
 NO OTHER BID FORM WILL BE ACCEPTED.

**COMMENTS:** \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

## **Tiger Point Recreational Park**

1. Ball Field #1:
  - A. Replace - 20 linear feet of 6' chain link fence
  - B. Replace - 200 linear feet of 6' chain link fence
  - C. Replace - 40 linear feet of 15' chain link fence backstop
  - D. Dugouts (quantity = 2)
    - I. Replace - 30 linear feet of 8' chain link fence
    - II. Replace - 20 linear feet of 10' chain link fence.
  
2. Ball Field #2:
  - A. Replace - 180 linear feet of 6' chain link fence
  - B. Replace - 10 linear feet of 8' chain link fence
  - C. Replace - 80 linear feet of 10' chain link fence
  - D. Replace - 40 linear feet of 15' chain link fence backstop.
  
3. Ball Field #3:
  - A. Replace - 230 linear feet of 6' chain link fence
  - B. Replace - 10 linear feet of 8' chain link fence
  - C. Replace - 40 linear feet of 10' chain link fence
  - D. Replace - 40 linear feet of 15' chain link fence backstop.
  
4. Ball Field #4:
  - A. Replace - 50 linear feet of 6' chain link fence
  - B. Replace - 160 linear feet of 6' chain link fence
  - C. Replace - 20 linear feet of 8' chain link fence
  - D. Replace - 70 linear feet of 10' chain link fence
  - E. Replace - 40 linear feet of 15' chain link fence backstop.
  
5. Ball Field #5:
  - A. Replace - 140 linear feet of 6' chain link fence
  - B. Replace - 210 linear feet of 6' chain link fence
  - C. Backstop
    - I. Replace - 140 linear feet of 20' chain link fence backstop
    - II. Replace - 40 linear feet of 4' chain link fence overhang.
  
6. Ball Field #6:
  - A. Replace - 70 linear feet of 6' chain link fence
  - B. Replace - 110 linear feet of 6' chain link fence
  - C. Backstop
    - I. Replace - 140 linear feet of 20' chain link fence backstop
    - II. Replace - 40 linear feet of 4' chain link fence overhang.

7. Ball Field #7:
  - A. Replace - 160 linear feet of 6' chain link fence
  - B. Replace - 60 linear feet of 6' chain link fence
  - C. Replace - 20 linear feet of 8' chain link fence
  - D. Replace - 10 linear feet of 10' chain link fence
  - E. Backstop
    - I. Replace - 140 linear feet of 20' chain link fence backstop
    - II. Replace - 40 linear feet of 4' chain link fence overhang.
  
8. Ball Field #8:
  - A. Replace - 160 linear feet of 6' chain link fence
  - B. Replace - 20 linear feet of 10' chain link wire
  - C. Backstop
    - I. Replace - 140 linear feet of 20' chain link fence backstop
    - II. Replace - 40 linear feet of 4' chain link fence overhang.
  
9. Ball Field #9
  - A. Replace - 70 linear feet of 6' chain link fence
  - B. Replace - 290 linear feet of 6' chain link fence
  - C. Backstop
    - I. Replace - 140 linear feet of 20' chain link fence backstop
    - II. Replace - 40 linear feet of 4' chain link fence overhang.
  
10. Basketball court
  - A. Replace - 60 linear feet of 8' chain link fence
  - B. Replace - 280 linear feet of 8' chain link fence.
  
11. Batting cages – Replace - 70 linear feet of 12' chain link fence wire.
  
12. Perimeter/soccer field:
  - A. Replace - 900 linear feet of 6' chain link fence
  - B. Replace - 1,010 linear feet of 6' chain link fence.
  
13. Tennis court
  - A. Replace - 90 linear feet of 10' chain link fence
  - B. Replace - 380 linear feet of 10' chain link fence.

**BID FORM**  
**Chain Link Fencing**  
**Tiger Point Recreational Park**

Santa Rosa County Procurement Department  
 6495 Caroline Street, Suite G  
 Milton, Florida 32570

Date \_\_\_\_\_

The undersigned agrees to furnish the equipment and labor as requested by you for Santa Rosa County in your invitation to bid and certifies that the materials bid meets or exceeds the specifications called for, except as set out in "Exceptions to Bid Conditions" and attached to this form.

| Material                 | Quantity | *Price per foot<br>Schedule 20<br>post | *Price per<br>foot Schedule<br>40 post |
|--------------------------|----------|--|--|
| 48" Backstop<br>overhang | 200      |  |  |
| 72"                      | 4020     |  |  |
| 96"                      | 430      |  |  |
| 120"                     | 710      |  |  |
| 144"                     | 70       |  |  |
| 180"                     | 160      |  |  |
| 20' Backstop             | 700      |  |  |
| <b>TOTAL BID</b>         |          | \$                                     | \$                                     |

**\*Price to include equipment and labor for demolition and reinstall utilizing new material**

**WARRANTY:** One year on workmanship and twelve (12) years on materials.

\_\_\_\_\_  
 Company Representative Signature

\_\_\_\_\_  
 Telephone

**NOTE:** PLEASE RETURN THIS BID FORM TO THE ABOVE ADDRESS.  
 NO OTHER BID FORM WILL BE ACCEPTED.

**COMMENTS:** \_\_\_\_\_

\_\_\_\_\_  
 \_\_\_\_\_

SWORN STATEMENT UNDER SECTION 287.133 (3) (A),  
FLORIDA STATUTES, ON PUBLIC ENTITY CRIMES

THIS FORM MUST BE SIGNED IN THE PRESENCE OF A NOTARY PUBLIC OR OTHER OFFICER AUTHORIZED TO ADMINISTER OATHS.

1. This sworn statement is submitted to \_\_\_\_\_

by \_\_\_\_\_  
(print individual's name and title)

for \_\_\_\_\_  
(print name of entity submitting sworn statement)

whose business address is \_\_\_\_\_  
and (if applicable) its Federal  
Employer Identification Number (FEIN) is \_\_\_\_\_. If the entity has no FEIN, include the  
Social Security Number of the individual signing this Sworn Statement: \_\_\_\_\_.

2. I understand that a "public entity crime" as defined in Paragraph 287.133(1)(g), Florida Statutes, means a violation of any state or federal law by a person with respect to and directly related to the transaction of business with any public entity or with an agency or political subdivision of any other state or with the United States, including, but not limited to, any bid or contract for goods or services to be provided to any public entity or an agency or political subdivision of any other state or of the United States and involving antitrust, fraud, theft, bribery, collusion, racketeering, conspiracy, or material misrepresentation.

3. I understand that "convicted" or "conviction" as defined in Paragraph 287.133(1)(b), Florida Statutes, means a finding of guilt or a conviction of a public entity crime, with or without an adjudication of guilt, in any federal or state trial court of record relating to charges brought by indictment or information after July 1, 1989, as a result of a jury verdict, nonjury trial, or entry of a plea of guilty or nolo contendere.

4. I understand that an "affiliate" as defined in Paragraph 287.133(1)(a), Florida Statutes, means:  
1. A predecessor or successor of a person convicted of a public entity crime; or  
2. An entity under the control of any natural person who is active in the management of the entity and who has been convicted of a public entity crime. The term "affiliate" includes those officers, directors, executives, partners, shareholders, employees, members, and agents who are active in the management of an affiliate. The ownership by one person of shares constituting a controlling interest in another person, or a pooling of equipment or income among persons when not for fair market value under an arm's length agreement, shall be a prima facie case that one person controls another person. A person who knowingly enters into a joint venture with a person who has been convicted of public entity crime.

5. I understand that a "person" as defined in Paragraph 287.133(1)(e), Florida Statutes, means any natural person or entity organized under the laws of any state or of the United States with legal power to enter into a binding contract and which bids or appeals to bid on contracts for the provision of goods and services let by a public entity, or which otherwise transacts or applies to transact business with a public entity. The term "person" includes those officers, directors, executives, partners, shareholders, employees, members, and agents who are active in management of an entity.

6. Based on information and belief, the statement which I have marked below is true in relation to the entity submitting this sworn statement. (Indicate which statement applies.)  
\_\_\_\_\_ Neither the entity submitting this sworn statement, nor one or more of the officers, directors, executives, partners, shareholders, employees, members, or agents who are active in management of the entity, nor any affiliate of the entity have been charged with and convicted of a public entity crime subsequent to July 1, 1989.  
\_\_\_\_\_ The entity submitting this sworn statement, or one or more of the officers, directors, executives, partners, shareholders, employees, members, or agents who are active in management of the entity, or an affiliate of the entity has been charged with and convicted of a public entity crime subsequent to July 1, 1989.  
\_\_\_\_\_ The entity submitting this sworn statement, or one or more of the officers, directors, executives, partners, shareholders, employees, members, or agents who are active in management of the entity, or an affiliate of the entity has been charged with and convicted of a public entity crime subsequent to July 1, 1989. However, there has been a subsequent proceeding before a Hearing Officer of the State of Florida, Division of Administrative Hearings and the Final Order entered by the Hearing Officers determined that it was not in the public interest to place the entity submitting this sworn statement on the convicted vendor list. (ATTACH A COPY OF THE FINAL ORDER.)

I UNDERSTAND THAT THE SUBMISSION OF THIS FORM TO THE CONTRACTING OFFICER FOR THE PUBLIC ENTITY IDENTIFIED IN PARAGRAPH 1 (ONE) ABOVE IS FOR THAT PUBLIC ENTITY ONLY AND THAT THIS FORM IS VALID THROUGH DECEMBER 31 OF THE CALENDAR YEAR IN WHICH IT IS FILED. I ALSO UNDERSTAND THAT I AM REQUIRED TO INFORM THE PUBLIC ENTITY PRIOR TO ENTERING INTO A CONTRACT IN EXCESS OF THE THRESHOLD AMOUNT PROVIDED IN SECTION 287.017, FLORIDA STATUTES FOR CATEGORY TWO OF ANY CHANGE IN THE INFORMATION CONTAINED IN THIS FORM.

\_\_\_\_\_  
(Signature)

Sworn to and subscribed before me this \_\_\_\_\_ day of \_\_\_\_\_, 2\_\_\_\_\_.  
Personally known \_\_\_\_\_

or Produced identification \_\_\_\_\_ Notary Public – State of \_\_\_\_\_

\_\_\_\_\_  
(Type of identification) My commission expires \_\_\_\_\_

January 5, 2005

To: Company Addressed  
From: Santa Rosa County Procurement Department  
Subject: Chain Linking Fencing

**ADDENDUM #1**

The Pre-bid Conference scheduled for Thursday January 6, 2005 is canceled and will be rescheduled. The Bid opening scheduled for Wednesday January 12, 2005 will also be rescheduled. Another addendum will be forth coming addressing the new dates and changes to the quantities of chain link fencing repairs required at each ball park.

January 20, 2005

To: Company Addressed  
From: Santa Rosa County Procurement Department  
Subject: Chain Linking Fencing

**ADDENDUM #2**

- Item 1: The Pre-bid Conference has been rescheduled for Monday January 24, 2005 at 1:00PM in the County Commission Meeting Room at the Administrative Complex, 6495 Caroline Street, Milton, Florida. The Bid opening has been rescheduled for Thursday January 27, 2005 at 10:00 AM at the Procurement Department, 6495 Caroline Street, Milton, Florida.  
**\* Questions should be addressed to Avis Whitfield at (850) 626-0191.**
- Item 2: Bid Forms for each park with footage required are attached. Use these bid forms - No other bid forms will be accepted.

**BID FORM**  
**Chain Link Fencing**  
**East Milton Recreational Park**

Santa Rosa County Procurement Department  
 6495 Caroline Street, Suite G  
 Milton, Florida 32570

Date \_\_\_\_\_

The undersigned agrees to furnish the material and labor as requested by you for Santa Rosa County in your invitation to bid and certifies that the materials bid meets or exceeds the specifications called for, except as set out in "Exceptions to Bid Conditions" and attached to this form.

Name & Address of Bidder \_\_\_\_\_

Cash Bid Price FOB Milton, Florida:

|  | <b>Price</b>                                  |  |
|--|---|--|
|  | <b>Repair/replace<br/>with like materials</b> | <b>Repair/replace<br/>with Schedule 40<br/>posts if applicable</b> |
| 1. Soccer field:   |   |  |
| C. Replace – 325 linear feet of 6’ high chain link fence   | \$ _____                                      | Not applicable   |
| D. Repair – 1,100 linear feet of 6’ high chain link fence (leaning). No fence materials needed.              | \$ _____                                      | Not applicable   |
| 2. Tennis court: Repair – 290 linear feet of 10’ high chain link fence (leaning). No fence materials needed. | \$ _____                                      | Not applicable   |
| 3. Ball Field #2:  |   |  |
| E. Replace – 40 linear feet of 15’ high chain link backstop  | \$ _____                                      | \$ _____   |
| F. Repair – 50 linear feet of 10’ high chain link fence. Replace – materials as needed.                      | \$ _____                                      | Not applicable   |
| G. Repair – 40 linear feet of 6’ high chain link fence (leaning)   | \$ _____                                      | Not applicable   |
| H. Repair – 30 linear feet of 8’ high chain link for dugout; Replace – materials as needed                   | \$ _____                                      | Not applicable   |
| I. Replace – Six 2” x 10” x 10’ treated boards   | \$ _____                                      | Not applicable   |

**BID FORM**  
**Chain Link Fencing**  
**East Milton Recreational Park**

Company Name \_\_\_\_\_

|  |    |                |
|--|----|----------------|
| 4. Ball Field #3: Repair – 110 linear feet of 6’ chain link fence in two sections; straighten leaning fence and replace materials as needed. | \$ | Not applicable |
| 5. Ball Field #4:  |    |                |
| F. Repair – 70 linear feet of 6’ high chain link fence. Replace – materials as needed.   | \$ | Not applicable |
| G. Replace – 80 linear feet of 20’ high chain link backstop  | \$ | \$             |
| H. Replace – 40 linear feet of 4’ overhang   | \$ | Not applicable |
| 6. Ball Field #5:  |    |                |
| F. Repair – 60 linear feet of 6’ high chain link fence in 2 sections at left field corner; Replace – materials as needed.                    | \$ | Not applicable |
| G. Repair – 130 linear feet of 6’ high chain link fence (leaning) down right field line.   | \$ | Not applicable |
| H. Repair – 30 linear feet of 8’ high chain link fence on 1 <sup>st</sup> base dugout. Replace – materials as needed                         | \$ | Not applicable |
| I. Repair – 20 linear feet of 10’ high chain link fence on 1 <sup>st</sup> base dugout; Replace – materials as needed                        | \$ | Not applicable |
| J. Replace – 140 linear feet of 20’ high chain link backstop.  | \$ | \$             |
| K. Construct – 40 linear feet of 4’ overhang on backstop   | \$ | Not applicable |
| 7. Ball Field #6:  |    |                |
| E. Repair – 20 linear feet of 6’ high chain link fence; Replace – materials as needed  | \$ | Not applicable |
| F. Replace – 140 linear feet of 20’ high chain link backstop   | \$ | \$             |
| G. Construct – 40 linear feet of 4’ overhang on backstop.  | \$ | Not applicable |

**BID FORM**  
**Chain Link Fencing**  
**East Milton Recreational Park**

\_\_\_\_\_  
 Company Name

8. Ball Field #7:

|  |    |                |
|--|----|----------------|
| H. Repair – 110 linear feet of 6’ high chain link fence (leaning); Replace – materials as needed                     | \$ | Not applicable |
| I. Repair – 30 linear feet of 8’ high chain link fence on 1 <sup>st</sup> base dugout; Replace – materials as needed | \$ | Not applicable |
| J. Repair – 20 linear feet of 10’ high chain link fence on dugout; Replace – materials as needed                     | \$ | Not applicable |
| K. Replace – 140 linear feet of 20’ high chain link backstop   | \$ | \$             |
| L. Replace – 40 linear feet of 4’ overhang.  | \$ | Not applicable |

9. Ball Field #8:

|  |    |                |
|--|----|----------------|
| H. Repair – 300 linear feet of 6’ high chain link fence by straightening leaning fence and replacing materials as needed | \$ | Not applicable |
| I. Repair – 30 linear feet of 8’ high chain link fence on 1 <sup>st</sup> base dugout; Replace – materials as needed     | \$ | Not applicable |
| J. Repair – 20 linear feet of 10’ high chain link fence on 1 <sup>st</sup> base dugout; Replace – materials as needed    | \$ | Not applicable |
| K. Replace – 140 linear feet of 20’ chain link backstop  | \$ | \$             |
| L. Replace – 40 linear feet of 4’ overhang.  | \$ | Not applicable |

10. Ball Field #9:

|   |    |                |
|---|----|----------------|
| D. Replace – 30 linear feet of 8’ high chain link fence on 3 <sup>rd</sup> base dugout  | \$ | Not applicable |
| E. Replace – 20 linear feet of 10’ high chain link fence on 3 <sup>rd</sup> base dugout | \$ | Not applicable |
| F. Replace – 140 linear feet of 20’ high chain link backstop.                           | \$ | \$             |
| G. Construct – 40 linear feet of 4’ overhang on backstop                                | \$ | Not applicable |

**BID FORM**  
**Chain Link Fencing**  
**East Milton Recreational Park**

\_\_\_\_\_  
 Company Name

11. Ball Field #10:

|  |    |                |
|--|----|----------------|
| F. Repair – 340 linear feet of 6’ high chain link fence (leaning)  | \$ | Not applicable |
| G. Replace – 140 linear feet of 20’ high chain link backstop   | \$ | \$             |
| H. Replace – 40 linear feet of 4’ overhang   | \$ | Not applicable |
| I. Replace – One dugout (8’ x 20’) – 30 linear feet of 8’ high chain link fence and 20 linear feet of 10’ high chain link fence. | \$ | Not applicable |
| J. Replace – Eight 2” x 10” x 10’ treated boards   | \$ | Not applicable |

12. Ball Field #11:

|   |    |                |
|---|----|----------------|
| H. Repair – 100 linear feet of 6’ high chain link fence; Replace – materials as needed          | \$ | Not applicable |
| I. Replace – 140 linear feet of 20’ high chain link backstop                                    | \$ | \$             |
| J. Replace – 30 linear feet of 8’ high chain link fence in dugout on 3 <sup>rd</sup> base side  | \$ | Not applicable |
| K. Replace – 20 linear feet of 10’ high chain link fence in dugout on 3 <sup>rd</sup> base side | \$ | Not applicable |
| L. Construct – 40 linear feet of 4’ overhang on backstop  | \$ | Not applicable |

|              |    |    |
|--------------|----|----|
| <b>TOTAL</b> | \$ | \$ |
|--------------|----|----|

**\*Price to include equipment and labor for demolition and reinstall utilizing new material.**

**WARRANTY:**        One year on workmanship and twelve (12) years on materials.

|                                  |           |
|----------------------------------|-----------|
| Company Representative Signature | Telephone |
|----------------------------------|-----------|

**NOTE:**        PLEASE RETURN THIS BID FORM TO THE ABOVE ADDRESS.  
 NO OTHER BID FORM WILL BE ACCEPTED.

**COMMENTS:** \_\_\_\_\_

**BID FORM**  
**Chain Link Fencing**  
**Chumuckla Community Center and Ball Park**

The undersigned agrees to furnish the material and labor as requested by you for Santa Rosa County in your invitation to bid and certifies that the materials bid meets or exceeds the specifications called for, except as set out in "Exceptions to Bid Conditions" and attached to this form.

Name & Address of Bidder \_\_\_\_\_

Cash Bid Price FOB Milton, Florida:

|   | <b>Price</b>                              |  |
|---|---|--|
|   | <b>Repair/replace with like materials</b> | <b>Repair/replace with Schedule 40 posts if applicable</b> |
| 1. Ball Field #1: Repair – Straighten 60 linear feet of 20' chain link backstop on 1 <sup>st</sup> base side; Replace – materials as needed | \$ _____                                  | <u>Not applicable</u>                                      |
| 2. Ball Field #3:   |   |  |
| D. Repair – Straighten 130 linear feet of 20' chain link (leaning); Replace – materials as needed   | \$ _____                                  | <u>Not applicable</u>                                      |
| E. Repair – Straighten 60 linear feet of 10' chain link fence (leaning) on third base side  | \$ _____                                  | <u>Not applicable</u>                                      |
| 3. Ball Field #4:   |   |  |
| A. Repair – 140 linear feet of 4' chain link fence (leaning) at right field line and right field outfield fence                             | \$ _____                                  | <u>Not applicable</u>                                      |
| B. Repair – 30 linear feet of 4' chain link fence on left field fence; Replace – materials as needed  | \$ _____                                  | <u>Not applicable</u>                                      |
| C. Dugout: Replace – 40 linear feet of 4' chain link fence at top of block wall on 1 <sup>st</sup> base side                                | \$ _____                                  | <u>Not applicable</u>                                      |

**BID FORM**  
**Chain Link Fencing**  
**Chumuckla Community Center and Ball Park**

\_\_\_\_\_  
Company Name

D. Repair – 20 linear feet of 8’ chain link fence; Replace  
– materials as needed

\_\_\_\_\_  
\$ Not applicable

**TOTAL**

\_\_\_\_\_  
\$

**\*Price to include equipment and labor for demolition and reinstall utilizing new material.**

**WARRANTY:** One year on workmanship and twelve (12) years on materials.

\_\_\_\_\_  
Company Representative Signature

\_\_\_\_\_  
Telephone

**NOTE:** PLEASE RETURN THIS BID FORM TO THE ABOVE ADDRESS.  
NO OTHER BID FORM WILL BE ACCEPTED.

**COMMENTS:** \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**BID FORM**  
**Chain Link Fencing**  
**Fidelis Community Center and Ball Park**

Santa Rosa County Procurement Department  
6495 Caroline Street, Suite G  
Milton, Florida 32570

Date \_\_\_\_\_

The undersigned agrees to furnish the material and labor as requested by you for Santa Rosa County in your invitation to bid and certifies that the materials bid meets or exceeds the specifications called for, except as set out in "Exceptions to Bid Conditions" and attached to this form.

Name & Address of Bidder \_\_\_\_\_

Cash Bid Price FOB Milton, Florida:

|  | <b>Price</b>                                      |  |
|--|---|--|
|  | <b>Repair/replace<br/>with like<br/>materials</b> | <b>Repair/replace<br/>with Schedule 40<br/>posts if applicable</b> |
| 1. Perimeter:  |   |  |
| A. Repair – 215 linear feet of 6’ chain link fence;<br>Replace – materials as needed                                     | \$ _____  | Not applicable   |
| B. Repair – 70 linear feet of 5’ chain link fence;<br>Replace – materials as needed                                      | \$ _____  | Not applicable   |
| 2. Ball Field #2:  |   |  |
| A. Repair – 30 linear feet of 6’ chain link fence;<br>Replace – materials as needed                                      | \$ _____  | Not applicable   |
| B. Repair – Straighten 60 linear feet of 20’ chain link<br>backstop on first base side; Replace – materials as<br>needed | \$ _____  | Not applicable   |
| 3. Ball Field #3: Repair – 20 linear feet of 6’ chain link<br>fence; Replace – materials as needed                       | \$ _____  | Not applicable   |

**BID FORM**  
**Chain Link Fencing**  
**Fidelis Community Center and Ball Park**

\_\_\_\_\_  
Company Name

|  |    |                |
|--|----|----------------|
| 4. Tennis court: Repair – 360 linear feet of 10’ chain link fence; Replace – materials as needed | \$ | Not applicable |
|--|----|----------------|

|              |           |  |
|--------------|-----------|--|
| <b>TOTAL</b> | <b>\$</b> |  |
|--------------|-----------|--|

**\*Price to include equipment and labor for demolition and reinstall utilizing new material.**

**WARRANTY:**        One year on workmanship and twelve (12) years on materials.

\_\_\_\_\_  
Company Representative Signature

\_\_\_\_\_  
Telephone

**NOTE:**        PLEASE RETURN THIS BID FORM TO THE ABOVE ADDRESS.  
                  NO OTHER BID FORM WILL BE ACCEPTED.

**COMMENTS:** \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**BID FORM**  
**Chain Link Fencing**  
**Locklin Field**

Santa Rosa County Procurement Department  
 6495 Caroline Street, Suite G  
 Milton, Florida 32570

Date \_\_\_\_\_

The undersigned agrees to furnish the material and labor as requested by you for Santa Rosa County in your invitation to bid and certifies that the materials bid meets or exceeds the specifications called for, except as set out in "Exceptions to Bid Conditions" and attached to this form.

Name & Address of Bidder \_\_\_\_\_  
 \_\_\_\_\_

Cash Bid Price FOB Milton, Florida:

|   | <b>Price</b>                                      |  |
|---|---|--|
|   | <b>Repair/replace<br/>with like<br/>materials</b> | <b>Repair/replace<br/>with Schedule 40<br/>posts if applicable</b> |
| 1. Repair – 34 linear feet of 6’ chain link on perimeter fence next to restrooms by replacing materials as needed.                  | \$ _____  | Not applicable   |
| 2. Repair – 45 linear feet of 6’ chain link on perimeter fence behind 3 <sup>rd</sup> base dugout by replacing materials as needed. | \$ _____  | Not applicable   |
| 3. Repair – 65 linear feet of 6’ chain link in three sections along left field line by replacing materials as needed                | \$ _____  | Not applicable   |
| 4. Repair – 10 linear feet of 6’ chain link on east end of 3 <sup>rd</sup> base bullpen by replacing materials as needed.           | \$ _____  | Not applicable   |
| 5. Repair – 20 linear feet of 6’ chain link in two sections along right field line by replacing materials as needed.                | \$ _____  | Not applicable   |
| 6. Repair – 10 linear feet of 6’ chain link on south end of 1 <sup>st</sup> base bullpen by replacing materials as needed.          | \$ _____  | Not applicable   |

**BID FORM**  
**Chain Link Fencing**  
**Locklin Field**

\_\_\_\_\_  
Company Name

|   |           |                 |
|---|-----------|-----------------|
| 7. Repair – 20 linear feet of 6’ chain link on perimeter fence beside Johnson Road by replacing materials as needed.            | \$        | Not applicable. |
| 8. Repair – 20 linear feet of 10’ chain link fence (leaning) next to 1 <sup>st</sup> base dugout.                               | \$        | Not applicable  |
| 9. Repair – 10 linear feet of 10’ chain link fence next to backstop on 3 <sup>rd</sup> base side; Replace – materials as needed | \$        | Not applicable  |
| 10. Repair – 30 linear feet of 8’ chain link fence in front of 3 <sup>rd</sup> base dugout; Replace – materials as needed       | \$        | Not applicable  |
| 11. Repair – 30 linear feet of 20’ chain link backstop (leaning); Replace – materials as needed.                                | \$        | Not applicable  |
| <b>TOTAL</b>  | <b>\$</b> |                 |

**\*Price to include equipment and labor for demolition and reinstall utilizing new material.**

**WARRANTY:** One year on workmanship and twelve (12) years on materials.

\_\_\_\_\_  
Company Representative Signature

\_\_\_\_\_  
Telephone

**NOTE:** PLEASE RETURN THIS BID FORM TO THE ABOVE ADDRESS.  
NO OTHER BID FORM WILL BE ACCEPTED.

**COMMENTS:** \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**BID FORM**  
**Chain Link Fencing**  
**Navarre Sports Complex**

Santa Rosa County Procurement Department  
 6495 Caroline Street, Suite G  
 Milton, Florida 32570

Date \_\_\_\_\_

The undersigned agrees to furnish the material and labor as requested by you for Santa Rosa County in your invitation to bid and certifies that the materials bid meets or exceeds the specifications called for, except as set out in "Exceptions to Bid Conditions" and attached to this form.

Name & Address of Bidder \_\_\_\_\_

Cash Bid Price FOB Milton, Florida:

|  | <b>Price</b>                                  |  |
|--|---|--|
|  | <b>Repair/replace<br/>with like materials</b> | <b>Repair/replace<br/>with Schedule 40<br/>posts if<br/>applicable</b> |
| 1. Ball Field #4: Backstop   |   |  |
| D. Replace – 140 linear feet of 20’ chain link fence   | \$  | \$   |
| E. Replace – 40 linear feet of 4’ overhang.  | \$  | Not applicable   |
| 2. Ball Field #5:  |   |  |
| A. Repair – 20 linear feet of 10’ chain link fence on front of 3 <sup>rd</sup> base dugout by retying wire | \$  | Not applicable   |
| B. Backstop  |   |  |
| I. Replace 140 linear feet of 20’ chain link fence   | \$  | \$   |
| II. Replace 40 linear feet of 4’ overhang.   | \$  | Not applicable   |
| 3. Ball Field #6:  |   |  |
| D. Repair – 20 linear feet of 10’ chain link fence next to the 1 <sup>st</sup> base dugout                 | \$  | Not applicable   |
| E. Backstop  |   |  |
| I. Replace – 140 linear feet of 20’ chain link fence   | \$  | \$   |
| II. Replace – 40 linear feet of 4’ overhang.   | \$  | Not applicable   |
| F. Replace – Five 2” x 10” x 10’ treated boards  | \$  | Not applicable   |

**BID FORM**  
**Chain Link Fencing**  
**Navarre Sports Complex**

\_\_\_\_\_  
 Company Name

|   |    |                |
|---|----|----------------|
| 4. Ball Field #7:   |    |                |
| E. Backstop   |    |                |
| I. Replace – 140 linear feet of 20’ chain link fence  | \$ | \$             |
| II. Replace – 40 linear feet of 4’ chain link fence overhang.   | \$ | Not applicable |
| F. Replace – Four 2” x 10” x 2’ treated boards  | \$ | Not applicable |
| 5. Ball Field #8:   |    |                |
| E. Repair – straighten 60 linear feet of 6’ chain link fence on left field fence in outfield                                      | \$ | Not applicable |
| F. Backstop   |    |                |
| I. Replace – 140 linear feet of 20’ chain link fence  | \$ | \$             |
| II. Replace – 40 linear feet of 4’ chain link fence overhang.   | \$ | Not applicable |
| G. Replace – 20 linear feet of 6’ chain link fence on end of bullpens at 1 <sup>st</sup> base and 3 <sup>rd</sup> base (10’ each) | \$ | Not applicable |
| 6. Ball Field #9:   |    |                |
| E. Repair – 10 linear feet of 6’ chain link fence in right field corner; Replace – material as needed                             | \$ | Not applicable |
| F. Backstop   |    |                |
| I. Replace – 140 linear feet of 20’ chain link fence  | \$ | \$             |
| II. Replace – 40 linear feet of 4’ chain link fence overhang.   | \$ | Not applicable |
| G. Replace – 20 linear feet of 6’ chain link wire on 1 <sup>st</sup> and 3 <sup>rd</sup> base bullpens (10 linear feet each)      | \$ | Not applicable |
| 7. Ball Field #10:  |    |                |
| E. Repair – 10 linear feet of 8’ chain link fence at left field foul pole; Replace – materials as needed                          | \$ | Not applicable |
| F. Repair –8’ chain link fence near scoreboard by re-tying wire to one post   | \$ | Not applicable |
| G. Backstop   |    |                |
| I. Replace – 140 linear feet of 20’ chain link fence  | \$ | \$             |
| II. Replace – 40 linear feet of 4’ chain link fence overhang.   | \$ | Not applicable |

**BID FORM**  
**Chain Link Fencing**  
**Navarre Sports Complex**

|   |           |                |
|---|-----------|----------------|
| Company Name  |           |                |
| H. Repair – 20 linear feet of 6’ chain link fence for two bullpens (10 linear feet each); Replace – materials as needed     | \$        | Not applicable |
| 8. Ball Field #11:  |           |                |
| D. Repair – 110 linear feet of 8’ chain link fence; straighten fence and replace materials as needed                        | \$        | Not applicable |
| E. Backstop   |           |                |
| I. Replace – 140 linear feet of 20’ chain link fence  | \$        | \$             |
| II. Replace – 40 linear feet of 4’ chain link fence overhang.   | \$        | Not applicable |
| F. Repair – 10 linear feet of 6’ chain link on end of 1 <sup>st</sup> base bullpen  | \$        | Not applicable |
| 9. Basketball court: Repair – 30 linear feet of 10’ chain link fence (gate guards on east end) – straighten posts and fence | \$        | Not applicable |
| 10. Football field:   |           |                |
| D. Repair – 90 linear feet of 6’ chain link fence on east side; Replace – materials as needed                               | \$        | Not applicable |
| E. Repair – 140 linear feet of 6’ chain link fence on west side by straightening posts and re-tying wire                    | \$        | Not applicable |
| <b>TOTAL</b>  | <b>\$</b> | <b>\$</b>      |

**\*Price to include equipment and labor for demolition and reinstall utilizing new material.**

**WARRANTY:** One year on workmanship and twelve (12) years on materials.

\_\_\_\_\_  
 Company Representative Signature                      Telephone

**NOTE:** PLEASE RETURN THIS BID FORM TO THE ABOVE ADDRESS.  
 NO OTHER BID FORM WILL BE ACCEPTED.

**COMMENTS:** \_\_\_\_\_

**BID FORM**  
**Chain Link Fencing**  
**Optimist Park**

Santa Rosa County Procurement Department  
 6495 Caroline Street, Suite G  
 Milton, Florida 32570

Date \_\_\_\_\_

The undersigned agrees to furnish the material and labor as requested by you for Santa Rosa County in your invitation to bid and certifies that the materials bid meets or exceeds the specifications called for, except as set out in "Exceptions to Bid Conditions" and attached to this form.

Name & Address of Bidder \_\_\_\_\_

Cash Bid Price FOB Milton, Florida:

|   | Price                                 |  |
|---|---------------------------------------|--|
|   | Repair/replace<br>with like materials | Repair/replace<br>with Schedule 40<br>posts if<br>applicable |
| 1. Perimeter: Repair – 20 linear feet of 6’ high chain link fence on east side of park by replacing materials as needed   | \$                                    | Not applicable   |
| 2. Ball Field #1: Repair – 80 linear feet of 16’ high backstop by replacing materials as needed   | \$                                    | \$   |
| 3. Ball Field #2: Repair – 80 linear feet of 16’ high backstop by replacing materials as needed   | \$                                    | \$   |
| 4. Repair – 50 linear feet of 6’ chain link fence (30 linear feet is in the left field corner of field 1; 20 linear feet is just past the right field corner of field 2); Replace – materials as needed | \$                                    | Not applicable   |
| 5. Repair – 20 linear feet of 6’ chain link in the right field corner of field 2 by replacing materials as needed.  | \$                                    | Not applicable   |
| <b>TOTAL</b>  | <b>\$</b>                             | <b>\$</b>  |

**\*Price to include equipment and labor for demolition and reinstall utilizing new material.**

**WARRANTY:** One year on workmanship and twelve (12) years on materials.

\_\_\_\_\_  
 Company Representative Signature

\_\_\_\_\_  
 Telephone

**NOTE:** PLEASE RETURN THIS BID FORM TO THE ABOVE ADDRESS.  
 NO OTHER BID FORM WILL BE ACCEPTED.

**BID FORM**  
**Chain Link Fencing**  
**Santa Rosa Sports Plex**

Santa Rosa County Procurement Department  
 6495 Caroline Street, Suite G  
 Milton, Florida 32570

Date \_\_\_\_\_

The undersigned agrees to furnish the material and labor as requested by you for Santa Rosa County in your invitation to bid and certifies that the materials bid meets or exceeds the specifications called for, except as set out in "Exceptions to Bid Conditions" and attached to this form.

Name & Address of Bidder \_\_\_\_\_

Cash Bid Price FOB Milton, Florida:

|   | <b>Price</b>                                  |  |
|---|---|--|
|   | <b>Repair/replace<br/>with like materials</b> | <b>Repair/replace<br/>with Schedule 40<br/>posts if<br/>applicable</b> |
| 2 Ball Field #1:  |   |  |
| A. Repair – 50 linear feet of 6’ chain link; Replace – materials as needed                                | \$ _____                                      | Not applicable   |
| B. Replace – 20 linear feet of top rail for 1 <sup>st</sup> base dugout                                   | \$ _____                                      | Not applicable   |
| C. Repair – 80 linear feet of 10’ chain link between dugouts and backstop; Replace – materials as needed  | \$ _____                                      | Not applicable   |
| D. Replace – 100 linear feet of 20’ chain link (backstop)   | \$ _____                                      | \$ _____   |
| E. Option – Install 40 linear feet of 4’ overhang   | \$ _____                                      | Not applicable   |
| F. Repair – One post on 8’ fence on 3 <sup>rd</sup> base dugout (leaning)                                 | \$ _____                                      | Not applicable   |
| G. Replace – Seven 2” x 10” x 10’ treated boards  | \$ _____                                      | Not applicable   |
| 3 Ball Field #2:  |   |  |
| G. Repair – 40 linear feet of 8’ chain link on 3 <sup>rd</sup> base dugout; Replace – materials as needed | \$ _____                                      | Not applicable   |

**BID FORM**  
**Chain Link Fencing**  
**Santa Rosa Sports Plex**

Company Name \_\_\_\_\_

|  |    |                |
|--|----|----------------|
| H. Repair – 50 linear feet of 10’ chain link; 40 linear feet on 3 <sup>rd</sup> base side and 10 linear feet on 1 <sup>st</sup> base side; Replace – materials as needed | \$ | Not applicable |
| I. Replace – 100 linear feet of 20’ chain link   | \$ | \$             |
| J. Repair – 40 linear feet of 8’ chain link for 3 <sup>rd</sup> base dugout; Replace – materials as needed   | \$ | Not applicable |
| K. Option – Install 40 linear feet of 4’ overhang.   | \$ | Not applicable |
| 4 Ball Field #3:   |    |                |
| F. Repair – Straighten 50 linear feet of 6’ chain link   | \$ | Not applicable |
| G. Repair – 80 linear feet of 10’ chain link between dugouts and backstop; Replace – materials as needed   | \$ | Not applicable |
| H. Replace – 100 linear feet of 20’ chain link   | \$ | \$             |
| I. Repair – 40 linear feet of 8’ chain link fence for first base dugout; Replace – materials as needed   | \$ | Not applicable |
| J. Repair – 40 linear feet of 8’ chain link fence for third base dugout; Replace – materials as needed   | \$ | Not applicable |
| K. Replace – Twelve 2” x 10” x 10’ treated boards  | \$ | Not applicable |
| L. Option – Install 40 linear feet of 4’ overhang.   | \$ | Not applicable |
| 5 Ball Field #4:   |    |                |
| F. Repair – Straighten 80 linear feet of 6’ chain link (leaning) in right field corner; re-tie wire  | \$ | Not applicable |
| G. Repair – 20 linear feet of 6’ chain link down left field line near dugout; Replace – materials as needed  | \$ | Not applicable |
| H. Replace – 40 linear feet of 10’ chain link on 3 <sup>rd</sup> base side   | \$ | \$             |
| I. Replace – 100 linear feet of 20’ chain link (backstop)  | \$ | \$             |
| J. Option – Replace 40 linear feet of 4’ chain link as backstop overhang   | \$ | Not applicable |
| K. Replace – Ten 2” x 10” x 10’ treated boards   | \$ | Not applicable |
| L. Dugouts: 1 <sup>st</sup> base – re-tie wire; 3 <sup>rd</sup> base total damage = Replace – 40 linear feet of 8’ chain link fence                                      | \$ | Not applicable |

**BID FORM**  
**Chain Link Fencing**  
**Santa Rosa Sports Plex**

\_\_\_\_\_  
 Company Name

|   |  |    |                |
|---|--|----|----------------|
| 6 | Ball Field #5:   |    |                |
|   | E. Repair – 80 linear feet of 6’ chain link (leaning) on right field outfield fence; Replace – materials as needed | \$ | Not applicable |
|   | F. Replace – 120 linear feet of 20’ chain link (backstop)  | \$ | \$             |
|   | G. Replace – 60 linear feet of 4’ chain link as backstop overhang  | \$ | Not applicable |
|   | H. Repair – 50 linear feet of 10’ chain link on first base side; Replace – materials as needed                     | \$ | Not applicable |
|   | I. Repair – 53 linear feet of 10’ chain link on 3 <sup>rd</sup> base side; Replace – materials as needed           | \$ | Not applicable |
|   | J. Repair – One post, 50 linear feet of top rail, and tighten and re-tie wire for 3 <sup>rd</sup> base dugout      | \$ | Not applicable |
|   | K. Repair – 50 linear feet of wire only for 6’ chain link fence (loose); Re-tie wire on left field outfield fence  | \$ | Not applicable |
|   | L. Replace – Nine 2” x 10” x 10’ treated boards  | \$ | Not applicable |
| 7 | Ball Field #6:   |    |                |
|   | D. Repair – Straighten 60 linear feet of 6’ chain link   | \$ | Not applicable |
|   | E. Replace – 100 linear feet of 20’ chain link (backstop)  | \$ | \$             |
|   | F. Replace – 40 linear feet of 4’ chain link as backstop overhang.   | \$ | Not applicable |
|   | G. Repair – 40 linear feet of top rail on 10’ chain link on third base side  | \$ | Not applicable |
|   | H. Repair – 40 linear feet of 8’ chain link fence for 3 <sup>rd</sup> base dugout; Replace – materials as needed   | \$ | Not applicable |
|   | I. Repair – 20 linear feet of top rail on 10’ chain link on first base side  | \$ | Not applicable |

**BID FORM**  
**Chain Link Fencing**  
**Santa Rosa Sports Plex**

\_\_\_\_\_  
 Company Name

|  |    |                |
|--|----|----------------|
| J. Repair – 40 linear feet of 8’ chain link fence for 1 <sup>st</sup> base dugout; Replace – materials as needed | \$ | Not applicable |
| K. Replace – Five 2” x 10” x 10’ treated boards  | \$ | Not applicable |
| 8 Ball Field #7:   |    |                |
| A. Repair – 50 linear feet of 8’ chain link on 3 <sup>rd</sup> base dugout; Replace – materials as needed        | \$ | Not applicable |
| B. Replace – 100 linear feet of 20’ chain link (backstop)  | \$ | \$             |
| F. Replace – 40 linear feet of 4’ chain link as backstop overhang.   | \$ | Not applicable |
| G. Replace – Four 2” x 10” x 10’ treated boards  | \$ | Not applicable |
| 9 Ball Field #8:   |    |                |
| A. Repair – 160 linear feet of 6’ chain link on right field outfield fence; Replace – materials as needed        | \$ | Not applicable |
| B. Repair – 44 linear feet of 10’ chain link on 3 <sup>rd</sup> base side; Replace – materials as needed         | \$ | Not applicable |
| C. Replace – 100 linear feet of 20’ chain link (backstop)  | \$ | \$             |
| D. Replace – 40 linear feet of 4’ chain link as backstop overhang.   | \$ | Not applicable |
| E. Repair – 50 linear feet of 6’ chain link on 1 <sup>st</sup> base side; Replace – materials as needed          | \$ | Not applicable |
| F. Repair – Straighten one post at 1 <sup>st</sup> base dugout   | \$ | Not applicable |
| G. Repair – Straighten two 8’ posts at 3 <sup>rd</sup> base dugout   | \$ | Not applicable |
| H. Replace – Seven 2” x 10” x 10’ treated boards   | \$ | Not applicable |
| 10 Ball Field #9:  |    |                |
| A. Repair – 320 linear feet of 6’ chain link; Replace – materials if needed                                      | \$ | Not applicable |
| B. Repair – 80 linear feet of 10’ chain link between dugouts and backstop; Replace – materials as needed         | \$ | Not applicable |

**BID FORM**  
**Chain Link Fencing**  
**Santa Rosa Sports Plex**

Company Name \_\_\_\_\_

|  |    |                |
|--|----|----------------|
| C. Replace – 100 linear feet of 20’ chain link (backstop)  | \$ | \$             |
| D. Option – Install 40 linear feet of 4’ overhang.   | \$ | Not applicable |
| E. Repair – 40 linear feet of 8’ chain link for 3 <sup>rd</sup> base dugout; Replace – materials as needed | \$ | Not applicable |
| F. Repair – 40 linear feet of 8’ chain link for 1 <sup>st</sup> base dugout; Replace – materials as needed | \$ | Not applicable |
| G. Replace – Sixteen 2” x 10” x 10’ treated boards   | \$ | Not applicable |
| 11 Ball Field #10:   |    |                |
| A. Repair – 85 linear feet of 6’ chain link (leaning) on right field line                                  | \$ | Not applicable |
| B. Repair – 40 linear feet of 10’ chain link on first base side; Replace – materials if needed             | \$ | \$             |
| C. Replace – 100 linear feet of 20’ chain link   | \$ | \$             |
| D. Option – Install 40 linear feet of 4’ overhang.   | \$ | Not applicable |
| E. Replace – 40 linear feet of top rail on 10’ chain link fence on 3rd base side; re-tie wire              | \$ | Not applicable |
| F. Replace – 40 linear feet of top rail on 8’ fence around dugout; re-tie wire                             | \$ | Not applicable |
| G. Repair – Three leaning posts for 8’ chain link fence on back of 1st base dugout                         | \$ | Not applicable |
| H. Replace – Nine 2” x 10” x 10’ treated boards  | \$ | Not applicable |
| 12 Ball Field #11:   |    |                |
| A. Repair – 165 linear feet of 6’ chain link; Replace – materials as needed                                | \$ | Not applicable |
| B. Repair – 80 linear feet of 10’ chain link between dugouts and backstop; Replace – materials as needed   | \$ | Not applicable |
| C. Replace – 100 linear feet of 20’ chain link (backstop)  | \$ | \$             |
| D. Option – Install 40 linear feet of 4’ overhang  | \$ | Not applicable |

**BID FORM**  
**Chain Link Fencing**  
**Santa Rosa Sports Plex**

Company Name \_\_\_\_\_

|       |  |    |                |
|-------|--|----|----------------|
| E.    | Repair – 40 linear feet of 8’ chain link fence and 40 linear feet of top rail of 3 <sup>rd</sup> base dugout; Replace – materials as needed  | \$ | Not applicable |
| F.    | Replace/repair – Straighten post, replace 40 linear feet of top rail, and tighten and re-tie wire on 8’ fence of 1 <sup>st</sup> base dugout | \$ | Not applicable |
| G.    | Replace – Eight 2” x 10” x 10’ treated boards  | \$ | Not applicable |
| H.    | Repair – Straighten 70 linear feet of 6’ chain link (leaning) in right field corner  | \$ | Not applicable |
| 13    | Ball Field #12:  |    |                |
| A.    | Replace – 10 linear feet of 6’ chain link  | \$ | Not applicable |
| III.  | Repair – 310 linear feet of 6’ chain link (leaning) of outfield fence and right field line   | \$ | Not applicable |
| IV.   | Repair – 80 linear feet of 10’ chain link between dugouts and backstop; Replace – materials as needed  | \$ | Not applicable |
| V.    | Replace – 100 linear feet of 20’ chain link  | \$ | \$             |
| VI.   | Option – Install 40 linear feet of 4’ overhang   | \$ | Not applicable |
| VII.  | Repair – 10 linear feet of 8’ chain link fence for 3 <sup>rd</sup> base dugout; Replace – materials as needed                                | \$ | Not applicable |
| VIII. | Replace – 10 linear feet of top rail for 3 <sup>rd</sup> base dugout   | \$ | Not applicable |
| IX.   | Repair – Three leaning posts and re-tie and pull wire for 3 <sup>rd</sup> base dugout  | \$ | Not applicable |
| X.    | Replace – 36 linear feet of 8’ chain link fence for 1 <sup>st</sup> base dugout; Replace – material as needed                                | \$ | Not applicable |
| XI.   | Replace – Twelve 2” x 10” x 10’ treated boards   | \$ | Not applicable |
| 13.   | Ball Field #13:  |    |                |
| A.    | Repair – 60 linear feet of 6’ chain link on left field outfield fence; Replace – materials as needed   | \$ | Not applicable |
| B.    | Repair – 20 linear feet of 6’ chain link; re-tie 20 linear feet of fence on right centerfield-outfield fence                                 | \$ | Not applicable |

**BID FORM**  
**Chain Link Fencing**  
**Santa Rosa Sports Plex**

Company Name \_\_\_\_\_

|  |    |                |
|--|----|----------------|
| C. Repair – 40 linear feet of 10’ chain link on 1 <sup>st</sup> base side; Replace – materials as needed   | \$ | Not applicable |
| D. Replace – 100 linear feet of 20’ chain link (backstop)  | \$ | \$             |
| E. Option – Install 40 linear feet of 4’ overhang  | \$ | Not applicable |
| F. Repair – 40 linear feet of 8’ chain link for 1 <sup>st</sup> base dugout; Replace – materials as needed | \$ | Not applicable |
| G. Repair – 20 linear feet of 10’ chain link on 3 <sup>rd</sup> base side; Replace – materials as needed   | \$ | Not applicable |
| H. Replace – Seven 2” x 10” x 10’ treated boards   | \$ | Not applicable |
| 14. Ball Field #14:  |    |                |
| A. Repair – 80 linear feet of 10’ chain link between dugouts and backstop; Replace – materials as needed   | \$ | Not applicable |
| B. Replace – 100 linear feet of 20’ chain link (backstop)  | \$ | \$             |
| C. Option – Install 40 linear feet of 4’ overhang  | \$ | Not applicable |
| D. Repair – 40 linear feet of 8’ chain link for 1 <sup>st</sup> base dugout; Replace – materials as needed | \$ | Not applicable |
| E. Repair – 40 linear feet of 8’ chain link for 3 <sup>rd</sup> base dugout; Replace – materials as needed | \$ | Not applicable |
| F. Replace – Eight 2” x 10” x 10’ treated boards   | \$ | Not applicable |
| 15. Ball Field #15:  |    |                |
| A. Repair – 80 linear feet of 10’ chain link between dugouts and backstop; Replace – materials as needed   | \$ | Not applicable |
| B. Replace – 100 linear feet of 20’ chain link (backstop)  | \$ | \$             |
| C. Option – Install 40 linear feet of 4’ overhang  | \$ | Not applicable |
| D. Repair – 40 linear feet of 8’ chain link for 3 <sup>rd</sup> base dugout; Replace – materials as needed | \$ | Not applicable |
| E. Repair – 40 linear feet of 8’ chain link for 1 <sup>st</sup> base dugout; Replace – materials as needed | \$ | Not applicable |

**BID FORM**  
**Chain Link Fencing**  
**Santa Rosa Sports Plex**

\_\_\_\_\_  
 Company Name

16. Ball Field #16:

|   |    |                |
|---|----|----------------|
| A. Repair – 60 linear feet of 6’ chain link near scoreboard; Replace – materials as needed  | \$ | Not applicable |
| B. Repair – 50 linear feet of 10’ chain link; 40 linear feet on 3 <sup>rd</sup> base side, 10 linear feet on 1 <sup>st</sup> base side; Replace – materials as needed | \$ | Not applicable |
| C. Replace – 100 linear feet of 20’ chain link (backstop)   | \$ | \$             |
| D. Option – Install 40 linear feet of 4’ overhang   | \$ | Not applicable |
| E. Repair – 40 linear feet of 8’ chain link for 1 <sup>st</sup> base dugout; Replace – materials as needed  | \$ | Not applicable |
| F. Repair – 40 linear feet of 8’ chain link for 3 <sup>rd</sup> base dugout; Replace – materials as needed  | \$ | Not applicable |
| G. Replace – Ten 2” x 10” x 10’ treated boards  | \$ | Not applicable |

|              |           |           |
|--------------|-----------|-----------|
| <b>TOTAL</b> | <b>\$</b> | <b>\$</b> |
|--------------|-----------|-----------|

**\*Price to include equipment and labor for demolition and reinstall utilizing new material.**

**WARRANTY:**        One year on workmanship and twelve (12) years on materials.

|                                  |           |
|----------------------------------|-----------|
| Company Representative Signature | Telephone |
|----------------------------------|-----------|

**NOTE:**        PLEASE RETURN THIS BID FORM TO THE ABOVE ADDRESS.  
 NO OTHER BID FORM WILL BE ACCEPTED.

**COMMENTS:** \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**BID FORM**  
**Chain Link Fencing**  
**Tiger Point Recreational Park**

Santa Rosa County Procurement Department  
 6495 Caroline Street, Suite G  
 Milton, Florida 32570

Date \_\_\_\_\_

The undersigned agrees to furnish the material and labor as requested by you for Santa Rosa County in your invitation to bid and certifies that the materials bid meets or exceeds the specifications called for, except as set out in "Exceptions to Bid Conditions" and attached to this form.

Name & Address of Bidder \_\_\_\_\_

Cash Bid Price FOB Milton, Florida:

|   | <b>Price</b>                                  |  |
|---|---|--|
|   | <b>Repair/replace<br/>with like materials</b> | <b>Repair/replace<br/>with Schedule 40<br/>posts if<br/>applicable</b> |
| 1. Ball Field #1:   |   |  |
| A. Repair – 210 linear feet of 6’ chain link fence (leaning) in outfield  | \$  | Not applicable   |
| B. Replace – 40 linear feet of 15’ chain link fence backstop  | \$  | \$   |
| C. Dugouts (quantity = 2)   |   |  |
| I. Replace – 50 linear feet of 8’ chain link fence (both dugouts)   | \$  | Not applicable   |
| II. Repair – 30 linear feet of 10’ chain link fence for 1 <sup>st</sup> base line                                   | \$  | Not applicable   |
| III. Repair – 20 linear feet of 10’ chain link fence for 3 <sup>rd</sup> base dugout; Replace – materials as needed | \$  | Not applicable   |
| 2. Ball Field #2:   |   |  |
| A. Repair – 190 linear feet of 6’ chain link fence; straighten posts and fence                                      | \$  | Not applicable   |
| B. Replace – 30 linear feet of 10’ chain link fence on 1 <sup>st</sup> base side                                    | \$  | Not applicable   |

**BID FORM**  
**Chain Link Fencing**  
**Tiger Point Recreational Park**

Company Name \_\_\_\_\_

|   |    |                |
|---|----|----------------|
| <p>C. Replace – 40 linear feet of 15’ chain link fence backstop</p>   | \$ | \$             |
| <p>G. Repair – 10 linear feet of 10’ chain link fence for 3<sup>rd</sup> base dugout; Replace – materials as needed</p> | \$ | Not applicable |
| <p>3. Ball Field #3:</p>  |    |                |
| <p>A. Repair – 230 linear feet of 6’ chain link fence; all outfield fence leaning; Replace – material as needed</p>     | \$ | Not applicable |
| <p>B. Repair – 10 linear feet of 8’ chain link fence for 3<sup>rd</sup> base dugout; Replace – materials as needed</p>  | \$ | Not applicable |
| <p>C. Replace – 40 linear feet of 15’ chain link fence backstop</p>   | \$ | \$             |
| <p>D. Replace – Two 2” x 10” x 10’ treated boards</p>   | \$ | Not applicable |
| <p>4. Ball Field #4:</p>  |    |                |
| <p>A. Repair – 50 linear feet of 6’ chain link fence for 3<sup>rd</sup> base side; Replace – materials as needed</p>    | \$ | Not applicable |
| <p>B. Repair – 160 linear feet of 6’ chain link fence (leaning)</p>   | \$ | Not applicable |
| <p>C. Repair – 20 linear feet of 8’ chain link fence for 3<sup>rd</sup> base dugout; Replace – materials as needed</p>  | \$ | Not applicable |
| <p>D. Repair – 70 linear feet of 10’ chain link fence (leaning)</p>   | \$ | Not applicable |
| <p>E. Replace – 40 linear feet of 15’ chain link fence backstop.</p>  | \$ | \$             |
| <p>5. Ball Field #5:</p>  |    |                |
| <p>A. Replace – 140 linear feet of 6’ chain link fence</p>  | \$ | Not applicable |
| <p>B. Repair – 140 linear feet of 6’ chain link fence (leaning)</p>   | \$ | Not applicable |
| <p>C. Backstop</p>  |    |                |
| <p>I. Replace – 140 linear feet of 20’ chain link fence backstop</p>  | \$ | \$             |
| <p>II. Replace – 40 linear feet of 4’ chain link fence overhang</p>   | \$ | Not applicable |

**BID FORM**  
**Chain Link Fencing**  
**Tiger Point Recreational Park**

Company Name \_\_\_\_\_

|   |    |                |
|---|----|----------------|
| D. Replace – 80 linear feet of 8’ chain link fence for both dugouts (totaled)                           | \$ | Not applicable |
| E. Replace – 40 linear feet of 10’ chain link fence for both dugouts (totaled)                          | \$ | Not applicable |
| 6. Ball Field #6:   |    |                |
| A. Repair – 60 linear feet of 6’ chain link fence; Replace – material as needed                         | \$ | Not applicable |
| B. Backstop   |    |                |
| I. Replace – 140 linear feet of 20’ chain link fence backstop   | \$ | \$             |
| II. Replace – 40 linear feet of 4’ chain link fence overhang.   | \$ | Not applicable |
| C. Repair – 20 linear feet of 8’ chain link fence for 1st base dugout; Replace – materials as needed    | \$ | Not applicable |
| D. Replace – 40 linear feet of 8’ chain link fence for 3 <sup>rd</sup> base dugout (totaled)            | \$ | Not applicable |
| 7. Ball Field #7:   |    |                |
| A. Repair – 50 linear feet of 6’ chain link fence along right field line; Replace – materials as needed | \$ | Not applicable |
| B. Repair – 80 linear feet of 6’ chain link fence on left field outfield fence; straighten fence        | \$ | Not applicable |
| C. Backstop   |    |                |
| I. Replace – 140 linear feet of 20’ chain link fence backstop   | \$ | \$             |
| II. Replace – 40 linear feet of 4’ chain link fence overhang  | \$ | Not applicable |
| D. Replace – Three 2” x 10” x 10’ treated boards  | \$ | Not applicable |
| 8. Ball Field #8:   |    |                |
| A. Repair – 30 linear feet of 6’ chain link fence on left field line (leaning)                          | \$ | Not applicable |





January 21, 2005

To: Company Addressed  
From: Santa Rosa County Procurement Department  
Subject: Chain Linking Fencing

**ADDENDUM #4**

Item 1: LINEPOST: 2" O.D. SS20 or Schedule 40  
Item 2: TERMPOST: 3" O.D. SS20 or Schedule 40  
Item 3: GATEPOST: 3" O.D. SS20 or Schedule 40  
Item 4: DRIVE GATEPOST: 4" O.D. SS20 or Schedule 40  
Item 5: CONCRETE DIAMETER TIMES: Line posts 6"x36"; corners 8"x36"; gates  
12"x36"  
POST DEPTH: Backstop posts or any post longer than 10 feet in length 12"x42"